DES-5121 Q&As

Specialist - Implementation Engineer - Campus Networking Exam

Pass EMC DES-5121 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/des-5121.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC Official Exam Center

- **Instant Download** After Purchase
- **100% Money Back** Guarantee
- **365 Days** Free Update
- **800,000+** Satisfied Customers

QUESTION 1

What is the interaction between CDP, ISDP, and LLDP when communicating configuration information from a Dell EMC Campus networking switch to a Cisco VoIP phone?

A. N-Series switches can be configured to use LLDP or CDP to communicate configuration information with Cisco devices

B. N-Series switches can be configured to use only CDP to communicate configuration information with Cisco devices

C. N-Series switches can be configured to use ISDP or CDP to communicate configuration information with Cisco devices

D. N-Series switches can be configured to use ISDP or LLDP to communicate configuration information with Cisco devices

Correct Answer: D

QUESTION 2

What is a recommended configuration for an MLAG peer-link on a Dell EMC N-Series switch?

A. Spanning tree must be disabled

B. Spanning tree must be enabled

C. Link must be a trunk port

D. Link must contain multiple interfaces

Correct Answer: B

QUESTION 3

Which function does a VRRP backup router perform?

A. Sends keepalive advertisements to the other backup routers

B. Processes and responds to ARP requests

C. Forwards packets to the Master with a destination IP of the virtual IP address

D. Receives packets with the virtual MAC address as the destination for other backup routers

Correct Answer: D

QUESTION 4

Which packet characteristics can policy-based routing be configured to match against?

A. TTL, TCP Port, and L3 Packet Length

B. L3 Packet Length, TTL, and 802.1p Priority

C. TCP Port, L3 Packet Length, and 802.1p Priority

D. TCP Port, TTL, and 802.1p Priority

Correct Answer: C

QUESTION 5

If a VRRP Master router is rebooted, what is the default behavior once it comes back online?

A. An election occurs to determine which router will have the Master role

B. Original VRRP Master will take back control of the Master role

C. Original VRRP Backup will retain the Master role

D. VRRP Master role is determined by the router with the lowest MAC address

Correct Answer: B

Latest DES-5121 Dumps DES-5121 PDF Dumps DES-5121 Practice Test