



DES-5221^{Q&As}

Specialist Implementation Engineer Data Center Networking Exam

Pass EMC DES-5221 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/des-5221.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

A network administrator wants servers to avoid spanning-tree convergence immediately after connecting to a leaf switch. Which spanning-tree feature would allow this?

- A. spanning-tree vlan priority 0
- B. spanning-tree port-type disabled
- C. spanning-tree port-priority 0
- D. spanning-tree port-type edge

Correct Answer: D

QUESTION 2

How are multiple hardware based ACLs filtered?

- A. NTP
- B. DHCP
- C. NPU
- D. IP

Correct Answer: C

Reference: https://www.dell.com/support/manuals/us/en/04/networking-z9264f-on/os10-enterprise-user-guide-10_4_2-pub/access-control-lists?guid=guid-c220a14f-c6cb-4950-ba88-15cbd59316aa&lang=en-us

QUESTION 3

On what does PBR base routing decisions?

- A. Dijkstra Algorithm
- B. Batch traffic
- C. Administrator-defined forwarding
- D. Shortest path

Correct Answer: C

QUESTION 4

A network administrator enters the BGP command neighbor 10.0.2.1. The BGP router does NOT have any route to the 10.0.2.0 network. What will happen?



- A. The router will form a successful adjacency with its 10.0.2.1 neighbor. The BGP state will be listed as connect.
- B. The router will not form a successful adjacency with its 10.0.2.1 neighbor.
- C. It will send gratuitous ARP messages to attempt to discover a route to its 10.0.2.1 neighbor.
- D. It will send an ICMP packet to attempt to reach its 10.0.2.1 neighbor.

Correct Answer: B

QUESTION 5

```

Router (Area 0.0.0.0)
Link ID          ADV Router      Age           Seq#
-----
10.0.1.1         10.0.1.1        1411          0x800000D5
10.0.1.2         10.0.1.2        320           0x800000D2
10.0.2.2         10.0.2.2        1130          0x800000CF

Network (Area 0.0.0.0)
Link ID          ADV Router      Age           Seq#
-----
192.168.100.3    10.0.2.2        1269          0x800000CD
192.168.200.3    10.0.2.2        1130          0x800000CD

Type-5 AS External
Link ID          ADV Router      Age           Seq#
-----
10.0.1.1         10.0.1.1        1175          0x80000001
144.254.32.0     10.0.1.1        1175          0x80000001
144.254.33.0     10.0.1.1        1175          0x80000001
192.168.37.0     10.0.1.1        1050          0x80000001
192.168.100.2    10.0.1.1        1175          0x80000001
S3(config-router-ospf-1)#

```

Refer to the exhibit.

The output shown is from which command?

- A. S3(config-router-ospf-1)# show ip ospf database
- B. S3(config-router-ospf-1)# show ip ospf topology
- C. S3(config-router-ospf-1)# show ip ospf lsa
- D. S3(config-router-ospf-1)# show ip ospf statistics

Correct Answer: A