



DES-6321^{Q&As}

Specialist - Implementation Engineer - VxRail Appliance Exam

Pass EMC DES-6321 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/des-6321.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

You are validating that a network environment is ready for a 4 node VxRail Model V570F deployment. What types of DNS records must be created for VxRail components before implementation can begin?

- A. Forward (A) records only
- B. Forward (A) records and Reverse (PTR) records
- C. Forward (A) and MX records
- D. NS records and Reverse (PTR) records

Correct Answer: B

Reference: <https://www.dellemc.com/en-us/collaterals/unauth/technical-guides-support-information/products/converged-infrastructure/h15300-vxrail-network-guide.pdf> (30)

QUESTION 2

You are attempting to reset a single G Series node running 4.0.x code to the factory default. You discover that the configbundle.tgz file is corrupt.

What is the recommended method to recover the node?

- A. Rapid Appliance Self Recovery
- B. Node Replacement
- C. Mobile Build Server
- D. Reset Script

Correct Answer: C

QUESTION 3

You are expanding the capacity of a Hybrid VxRail by creating an additional disk group. The new disk group will be composed of five drives on all participating cluster nodes. When you attempt to add the new disks to the vSAN datastore you receive an error message about there being no cache tier available.

What is the likely cause?

- A. vSAN supports disk groups with four drives or fewer
- B. Cluster requires vSAN Advanced or Enterprise license upgrade
- C. You attempted to add the disks to the existing disk group
- D. All the drives are labeled as HDDs



Correct Answer: D

QUESTION 4

What is a benefit of using the VxRail REST API?

- A. Continuous polling for performance statistics
- B. Automate security audit of VxRail appliances
- C. Remote upgrade of iDRAC related software only
- D. Programmatically gather VxRail system health

Correct Answer: B

QUESTION 5

What VxRail vSAN storage policy should NOT be changed or deleted after the initial setup?

- A. vSAN Default Storage Policy
- B. VM Encryption Policy
- C. VXRA1L-STORAGE-PROFILE
- D. VXRAIL-SYSTEM-STORAGE-PROFILE

Correct Answer: A

[Latest DES-6321 Dumps](#)

[DES-6321 Exam Questions](#)

[DES-6321 Braindumps](#)