



DES-6321^{Q&As}

Specialist - Implementation Engineer - VxRail Appliance Exam

Pass EMC DES-6321 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/des-6321.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

A workstation is being configured on the management VLAN (10.150.140.0/24) to connect to VxRail Manager for first time deployment.

Configuring which IP addresses on the workstation will result in a successful deployment without having to change them during initialization?

- A. 192.168.1.199 and 10.150.140.100
- B. 192.168.1.250 and 10.150.140.255
- C. 192.168.10.199 and 10.150.140.255
- D. 192.168.10.250 and 10.150.140.250

Correct Answer: A

QUESTION 2

You have been assigned to perform a hardware installation of three G560 nodes in a 4-post rack. However, only static rails are included with this shipment.

What is the best way to proceed?

- A. Order sliding rails, since these are required for the installation
- B. You cannot proceed because these nodes cannot be installed in a 4-post rack
- C. Install cable management arms in the rack
- D. Proceed directly because these nodes can be installed in a 4-post rack

Correct Answer: D

QUESTION 3

In a VxRail Stretched Cluster built from eight all-flash nodes, what should be the recommended storage policy to ensure the highest possible protection?

- A. RAID-1 (Mirroring) FTT=1
- B. RAID-1 (Mirroring) FTT=2
- C. RAID-5/6 (Erasure Coding) FTT=1
- D. RAID-5/6 (Erasure Coding) FTT=2



Correct Answer: B

QUESTION 4

You are asked to cable up a VxRail G Series cluster to a redundant pair of 1/10G switches. What is the cabling best practice for this configuration?

- A. Cable ports 1 and 2 to oneswitch. Cable ports 3 and 4 to the other switch.
- B. Cable ports 1 and 2 to one switch. Cable ports 3 and 4 to the other switch. Cable BMC from node 1 and 2 to one switch. Cable BMC from node 3 and 4 to the other switch.
- C. Cable ports 1 and 3 to one switch. Cable ports 2 and 4 to the other switch.
- D. Cable ports 1 and 3 to one switch. Cable ports 2 and 4 to the other switch. Cable BMC from node 1 and 3 to one switch. Cable BMC from node 2 and 4 to the other switch.

Correct Answer: D

QUESTION 5

What is a requirement for the Top of Rack (ToR) switches used in a VxRail implementation?

- A. MLD Querier
- B. EtherChannel
- C. IPV4 and IPV6 Multicast
- D. LACP

Correct Answer: C

[DES-6321 PDF Dumps](#)

[DES-6321 Practice Test](#)

[DES-6321 Exam Questions](#)