



DES-DD33^{Q&As}

Specialist - Systems Administrator, PowerProtect DD

Pass EMC DES-DD33 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/des-dd33.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Backup administrators have noticed slow backups on the AIX environment.

To fix the issue, what should the set large_send be for each NIC, and what should the NFS option be set to?

- A. no and nfs_rfc1323=0
- B. yes and nfs_rfc1323=0
- C. no and nfs_rfc1323=1
- D. yes and nfs_rfc1323=1

Correct Answer: D

larger RPC sizes, you should set the nfs_rfc1323 option Reference: <https://www.ibm.com/docs/en/aix/7.2?topic=tuning-tcpip-guidelines-nfs-performance>

QUESTION 2

DRAG DROP

What is the correct sequence of steps to configure storage for Dell EMC Cloud Tier in the DD System Manager?

Select and Place:

Click "Configure" in the Cloud Tier section	STEP 1
Click "Add to Tier"	STEP 2
Select "Storage" under the Hardware tab	STEP 3
Under "Addable Storage", select the checkbox for the shelf to add	STEP 4

Correct Answer:



Click "Configure" in the Cloud Tier section

Click "Add to Tier"

Select "Storage" under the Hardware tab

Under "Addable Storage", select the checkbox for the shelf to add

Reference: <https://www.delltechnologies.com/asset/en-us/products/data-protection/technical-support/docu95865.pdf>

QUESTION 3

What are some key benefits of performing backups and recoveries with a PowerProtect DD appliance?

- A. Increase in the overall size and scope Elimination of physical tape Fewer copies that need to be tracked Increased speed of disaster recovery
- B. Reduction in the overall size and scope Elimination of physical tape Number of copies that do not need to be tracked Increased speed of disaster recovery
- C. Reduction in the overall size and scope Elimination of physical tape Fewer copies that need to be tracked Increased speed of disaster recovery
- D. Increase in the overall size and scope Elimination of physical tape Number of copies that do not need to be tracked Increased speed of disaster recovery

Correct Answer: A

QUESTION 4

What is a requirement to configure the PowerProtect DD tape out to cloud feature?

- A. Cloud Tier Capacity License
- B. Tape Out to Cloud License
- C. DDVE in the Cloud
- D. Two cloud units

Correct Answer: A



QUESTION 5

Following best practices for a PowerProtect DD NFS environment, what is the recommended value for rsize and wsize?

- A. 22768
- B. 30008
- C. 32768
- D. 42768

Correct Answer: C

Reference: <https://docs.oracle.com/en/database/oracle/oracle-database/18/cwlin/configuring-nfs-buffer-size-parameters-for-oracle-database.html#GUID-5F14F816-445B-4EBB-BBA2-E9DFD7E5EF96>

[DES-DD33 VCE Dumps](#)

[DES-DD33 Study Guide](#)

[DES-DD33 Exam Questions](#)