



DES-DD33^{Q&As}

Specialist - Systems Administrator, PowerProtect DD

Pass EMC DES-DD33 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/des-dd33.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

When using the DD VTL Tape Out to Cloud feature, which status will a tape show once it is in the cloud tier vault?

- A. Vaulted
- B. Archived
- C. Offline
- D. Offsite

Correct Answer: B

QUESTION 2

What are some possible network bottlenecks for a PowerProtect DD?

- A. Configuration, wire speeds, switches and routers
- B. Connectivity, firewalls, and routing protocols
- C. Connectivity, routing protocols, and configuration
- D. Routing protocols, switches and routers, and wire speeds

Correct Answer: A

QUESTION 3

What system role is required to create the second security officer for a PowerProtect DD?

- A. limited-admin
- B. security offic
- C. sysadmin
- D. admin

Correct Answer: B

Explanation:

A security role user, who may be referred to as a security officer, can manage other security officers, authorize procedures that require security officer approval, and perform all tasks supported for user-role users.



Reference: <https://www.delltechnologies.com/asset/en-us/products/data-protection/technical-support/docu97051.pdf>

QUESTION 4

An administrator monitors the performance statistics of a PowerProtect DD appliance. Low disk-write rates are shown, and the network inbound traffic is high. What is the most likely cause of this behavior?

- A. Expired segments
- B. Known segments
- C. Disk failure
- D. NVRAM failure

Correct Answer: B

QUESTION 5

Which NDMP device is supported on a PowerProtect DD appliance?

- A. NFS
- B. DD Boost
- C. CIFS
- D. VTL

Correct Answer: D

Explanation:

A system can present itself as a file server, offering NFS, CIFS access over Ethernet; as a virtual tape library (VTL) over Fibre Channel; as an NDMP tape server over Ethernet; or as a disk target using application specific interfaces like DD

Boost. DD VTL is qualified with leading open systems and IBMi enterprise backup applications.

Reference: <https://www.delltechnologies.com/asset/en-in/products/data-protection/technical-support/h17926-dellemc-powerprotect-dd-ds.pdf>

[DES-DD33 PDF Dumps](#)

[DES-DD33 VCE Dumps](#)

[DES-DD33 Exam Questions](#)