



E20-307^{Q&As}

VMAX3 Solutions Specialist Exam for Implementation Engineers

Pass EMC E20-307 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/e20-307.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers



**QUESTION 1**

A storage administrator is installing Unisphere for VMAX and noticed there are User IDs listed in the User Authorization database. What must the administrator do to add a default User ID?

- A. Create a temporary database and add all User IDs
- B. Use SYMCLI to add the default user (smc) to the database
- C. Use SYMAPI to add the default user (smc) to the database
- D. Use Unisphere for VMAX to remove all User IDs

Correct Answer: B

Reference <https://www.emc.com/collateral/TechnicalDocument/docu78884.pdf> (P.14)

QUESTION 2

In addition to the Solutions Enabler Base daemon, which other daemon is also mandatory at installation?

- A. STP
- B. GNS
- C. SYMAPI Server
- D. Event

Correct Answer: C

Reference https://sort.veritas.com/public/documents/vom/6.0/windowsandunix/productguides/html/Addons_Guide/apas02s02s02.htm

QUESTION 3

On a VMAX3 array, what is the default Dynamic I/O distribution mode settings when a Storage Group is associated with Host I/O Limits?

- A. Never
- B. Balanced
- C. Always
- D. OnFailure

Correct Answer: A

Explanation: References:



QUESTION 4

A VMAX3 storage administrator created several TimeFinder SnapVX snapshots. The administrator wants the snapshots to expire after seven days. Which action should be taken by the administrator?

- A. Set the "time-to-live" on the snapshots.
- B. Snapshots must be manually deleted, one at a time.
- C. Snapshots must be recreated, specifying the "time-to-live"
- D. Link the snapshots to the target

Correct Answer: A

Reference <https://www.emc.com/collateral/technical-documentation/h13697-emc-vmax3-local-replication.pdf> (page 8)

QUESTION 5

What are pre-configured in VMAX3 and VMAX All Flash arrays?

- A. SRDF devices
- B. Gatekeeper devices
- C. Thin devices
- D. Data devices

Correct Answer: C

[Latest E20-307 Dumps](#)

[E20-307 PDF Dumps](#)

[E20-307 VCE Dumps](#)