

E20-385^{Q&As}

Data Domain Specialist Exam for Implementation Engineers

Pass EMC E20-385 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/e20-385.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by EMC Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

- 😳 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

You are tasked with integrating two new EMC Data Domain systems into an existing EMC NetWorker environment. Due to customer requirements, a VTL will be created on each Data Domain and drives will be presented to each NetWorker storage node.

Which best practice should be provided to the customer for this configuration?

- A. Configure persistent binding on all hosts
- B. Ensure less than five fabric hops
- C. Use switch encryption between the Data Domain and storage nodes
- D. Multiplex data on the tape drives on all storage nodes

Correct Answer: A

QUESTION 2

A customer is deploying EMC Data Domain systems in four data centers worldwide. The Data Domain systems will be using VTL. Each system will have a unique tape pool. The customer would like to replicate data to all sites. The data needs to be encrypted locally and then replicated to remote sites over the WAN.

What needs to be deployed to meet the customer\\'s requirements?

- A. Encryption for data at rest and pool replication with encryption enabled
- B. Encryption for data at rest and collection replication with encryption enabled
- C. Pool replication with encryption enabled
- D. Collection replication with encryption enabled

Correct Answer: A

QUESTION 3

Based on the exhibit,



UPTIME= 06:08:4 Filesystem has k ====== SE	been up 9	3 days, 1	6:24.	s, load	aver:	age: 2.6	9, 2.73, 2.64
Resource	Size G	iB Used	GIB AV	ail GiB	Use?	% Clear	nable GiB*
/backup: pre-cor	np	- 5079	93.8	-	-		
/backup: post-co	mp 3193	4.0 316	81.6 2	52.3	99%		557.2
/ddvar	18	9.0	6.9 1	72.5	4%		
* Estimated base From: 2011-01-2 Pre-	4 06:00 T	a a aparta	1-31 06:0	0		Comp	Total-Comp Factor Reduction %)
Currently Used: : Written:*	507993.8	31681.7	8 (*		•	16.0x (93.8)
Last 7 days	38141.9	2326.4	5.6>	6 7	2.9x	16.4x	(93.9)
Last 24 hrs	1444.9	198.8	2.5	< :	2.9x	7.3x i	(86.2)
							ALC: NO

what is the total aggregate compression factor on the EMC Data Domain system?

A. 7.3x

B. 16.0x

C. 16.4x


D. 93.8x

Correct Answer: B

QUESTION 4

Refer to the Exhibit.






When connecting a single expansion shelf to a EMC Data Doman controller, what are the recommended SAS ports that should be used?

- A. 3a and 2a
- B. 3a and 2b
- C. 3b and 2a
- D. 3b and 2b

Correct Answer: B

QUESTION 5

Refer to the Exhibit.



When connecting a single expansion shelf to an EMC Data Doman DD670, what are the recommended SAS ports that should be used?

- A. 2a and 3a
- B. 2b and 3b
- C. 3a and 2b
- D. 3b and 2a
- Correct Answer: C



Latest E20-385 Dumps

E20-385 PDF Dumps

E20-385 Exam Questions