



E20-393^{Q&As}

Unity Solutions Specialist Exam for Implementation Engineers

Pass EMC E20-393 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/e20-393.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

A Storage administrator needs to expand their FAST Cache by 400 GB. The current configuration consists of two 400 GB SAS Flash 2 drives. What can be used to expand the FAST Cache?

- A. Two 200 GB SAS Flash 2 drives
- B. Two 400 GB SAS Flash 2 drives
- C. Four 200 GB SAS Flash 3 drives
- D. One 400 GB SAS Flash 2 drive

Correct Answer: A

Reference: <https://www.dellemc.com/en-us/collaterals/unauth/white-papers/products/storage/h15086-emc-unity-fast-technology-overview.pdf>

QUESTION 2

Which VVol object stores .vmx files, logs, and NVRAM?

- A. Config
- B. Memory
- C. Data
- D. Swap

Correct Answer: A

Reference: <https://www.dellemc.com/en-us/documentation/unity-family/unity-p-vvols-config/01-vxe-tn-vvols-br-manage-vvol-datastores.htm>

QUESTION 3

A storage administrator needs to shrink their FAST Cache. The current configuration consists of eight 200 GB SAS Flash 2 drives. What is the maximum number of drives that can be removed from FAST Cache through an online shrink operation?

- A. 2
- B. 4
- C. 6
- D. 8

Correct Answer: D



Reference: http://www.sysage.com.tw/Guest/Docs/20160513_176_ActivityFile_9.pdf

QUESTION 4

A storage administrator needs to shrink their FAST Cache on a Dell EMC Unity XT storage system. The current configuration consists of six 400 GB SAS Flash 2 drives. What is the maximum number of drives that can be removed from FAST Cache through an online shrink operation?

- A. 2
- B. 4
- C. 5
- D. 6

Correct Answer: A

QUESTION 5

A storage administrator notices that all the configured Host I/O Limit policies are Globally Paused. How can the administrator put these policies into the Active state?

- A. Select the Host I/O Limit policy for each and configure the Host I/O Limits setting to Active.
- B. From the Settings>Performance page, configure the Host I/O Limits settings to Resume.
- C. From the Settings> Performance page, configure the Host I/O Limits settings to Active.
- D. Select the Host I/O Limit policy for each and configure the Host I/O Limits setting to Resume.

Correct Answer: D

[E20-393 PDF Dumps](#)

[E20-393 Exam Questions](#)

[E20-393 Braindumps](#)