



# E20-405<sup>Q&As</sup>

EMC Content Management Server Programming(CMSP)

## Pass EMC E20-405 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/e20-405.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by EMC  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

What information can be output to a DFC trace?

- A. password used to connect to the repository
- B. SQL statements being sent to the RDBMS
- C. file system accesses from the DFC application
- D. DFC calls, their parameters, and return values

Correct Answer: D

---

### QUESTION 2

Given the following code: Which statement is valid?

- A. `document.getPath()`
- B. `document.getType()`
- C. `document.getObjectId()`
- D. `document.getObjectNames()`

Correct Answer: C

---

### QUESTION 3

What is the default behavior when you add a directory from the file system to an import operation?

- A. The directory will be imported by itself.
- B. The directory and all documents it contains will be imported.
- C. The directory and all files and subdirectories will be imported.
- D. It will result in an error.

Correct Answer: C

---

### QUESTION 4

You are given a list of attribute names and the value(s) associated with them. Which steps should you use to set the values on an object?

- A. Always use `sysObject.setString(attrName, attrValue)`



B. 1. Determine if an attribute is repeating or not2. If repeating, call sysObject.setRepeatingString (attrName, index, attrValue)3. If not repeating, call sysObject.setString(attrName, attrValue) )

C. 1. Determine if an attribute is repeating or not2. Determine the attribute type (such as int, boolean etc)

3. Based on the type andif it is repeating or not, callsysObject.setRepeatingXXX(attrName,index, attrValue)4. If not repeating, call sysObject.setXXX(attrName, attrValue) where XXX represents thetype-safe method (e.g setInt(), setRepeatingTime() etc.) based on the type

D. 1. Determine if an attribute is repeating or not2. Determine the attribute type (such as int, boolean etc)

3. Based on the type construct the appropriate IDfValue object4. If repeating, call sysObject.setRepeatingValue(attrName, index, attrValue)5. If not repeating, call sysObject.setValue (attrName, attrValue)

Correct Answer: C

---

## QUESTION 5

Which interface declares method(s) to obtain a list of workflow processes that the current user may start?

A. IDfSession

B. IDfUser

C. IDfWorkflow

D. IDfWorkitem

Correct Answer: A

[E20-405 Practice Test](#)

[E20-405 Study Guide](#)

[E20-405 Exam Questions](#)