



E20-405^{Q&As}

EMC Content Management Server Programming(CMSP)

Pass EMC E20-405 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/e20-405.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

The following utility method requires the handling of an exception: How would you handle the exception, so that value either contains the session's ID, or returns an empty string?

- A. You add a try/catch block (in bold) around the value assignment: `try{value = session.getSessionId();} catch (DfException dfe) {DfLogger.debug(this,dfe.getStackTraceAsString(),null,null);}`
- B. You add a throws clause (in bold) to the method signature: `public String getMySessionId(IDfSession session) throws DfException{...}`
- C. Exception handling is not required because `session.isConnected()` ensures a session is present, and `session.getSessionId()` only throws an exception if the session is not present.
- D. You add a throws clause (in bold) to the method signature AND add a try/catch block (in bold) around the value assignment that throws a new `DfException()`: `public String getMySessionId(IDfSession session) throws DfException{String value = "";try{value = session.getSessionId();}catch (DfException dfe){DfLogger.debug(this,dfe.getStackTraceAsString(), null,null);}return value;}`

Correct Answer: A

QUESTION 2

Which interfaces should be implemented to create a Type-based Business Object?

- A. `IDfDocument` and `IDfDynamicInheritance`
- B. `IDfTypedObject` and `IDfDynamicInheritance`
- C. `IDfPersistentObject` and `IDfDynamicInheritance`
- D. `IDfBusinessObject` and `IDfDynamicInheritance`

Correct Answer: D

QUESTION 3

Which statements move a document using the `IDfSysObject` interface? `IDfSysObject sysObj = (IDfSysObject)session.getObject(myId);`

- A. `sysObj.unlink("/SourceCabinet");sysObj.link("/TargetCabinet");sysObj.save();`
- B. `sysObj.link("/TargetCabinet");sysObj.save();`
- C. `sysObj.unlink("/SourceCabinet");sysObj.save();`
- D. `sysObj.checkout();sysObj.link("/TargetCabinet");sysObj.checkin(false,"");`

Correct Answer: A



QUESTION 4

What do you need in dfc.properties to combine DFC and dmcl tracing?

- A. trace_file= trace_level=
- B. dfc.tracing.combineDMCL=true
- C. dfc.tracing.DMCL=true
- D. dmcl_trace_level=

Correct Answer: B

QUESTION 5

After saving or checking in a virtual document, what should you do before continuing to use any of the virtual document nodes?

- A. set the virtual document to null and call IDfSysObject.asVirtualDocument() again
- B. call IDfVirtualDocument.resync() to flush all node information and useIDfVirtualDocumentNode.getChildCount() to rebuild the cache
- C. use the IDfVirtualDocumentNode.getSelectedObject() method to access objects
- D. call IDfVirtualDocument.resync() to flush all node information and useIDfVirtualDocument.getRootNode () to rebuild the cache

Correct Answer: B

[Latest E20-405 Dumps](#)

[E20-405 Study Guide](#)

[E20-405 Exam Questions](#)