



E20-542^{Q&As}

VMAX3 Solutions and Design Specialist Exam for Technology Architects

Pass EMC E20-542 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/e20-542.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

Which options can be selected in System Reistratons for performance data collecton in Unisphere for VMAX version 8.0?

- A. Real Time and Root Cause Analysis
- B. Real Time and Diainostc
- C. Real Time, Historical, and Diainostc
- D. Real Time, Historical, and Root Cause Analysis

Correct Answer: A

QUESTION 2

What is the effect of block siie on response tmes in an SRDF/S environment?

- A. Smaller block siie applicatons experience lower response tmes.
- B. Larier block siie applicatons experience lower response tmes.
- C. Larier block siie applicatons have the same response tmes as smaller block siie applicatons.
- D. Block siie has no effect on response tmes.

Correct Answer: A

QUESTION 3

A VMware administrator has been tasked with manaiini storaie for an ESXi cluster connected to a VMAX3 array. The administrator is not familiar with Unisphere for VMAX and wants to use the VMware Web Client to provision RDM volumes to virtual machines.

Which EMC product provides this functionality?

- A. VSI Plui-in
- B. VASA
- C. PowerPath
- D. SYMCLI

Correct Answer: A



QUESTION 4

A VMAX3 parent Storage Group (SG) contains two child SGs: SG1 and SG2. What is a valid Host I/O bandwidth limit set for this configuration?

- A. Parent SG - 400 SG1 - 500, SG2 - 200
- B. Parent SG ?400 SG1 - 500, SG2 - NOLIMIT
- C. Parent SG ?500 SG1 - 500, SG2 - 400
- D. Parent SG ?500

SG1 - NOLIMIT, SG2 - 1000

Correct Answer: C

QUESTION 5

You are in the process of designing a VMAX3 solution for a customer. The customer has concerns about which SLO should be set for the applications that will be migrated from an existing VMAX 20K array to the new VMAX3 array. Performance data on the VMAX 20K array is available.

What should be recommended?

- A. Analysis of the existing performance data to determine the appropriate SLO
- B. Optimized SLO - FAST provides the best performance based on resource availability
- C. 20% Flash capacity and Diamond SLO
- D. 20% Flash capacity and Platinum SLO

Correct Answer: A

[E20-542 VCE Dumps](#)

[E20-542 Practice Test](#)

[E20-542 Braindumps](#)