



E20-542^{Q&As}

VMAX3 Solutions and Design Specialist Exam for Technology Architects

Pass EMC E20-542 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/e20-542.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

You are designing an SRDF/A solution between two VMAX3 arrays. The customer wants to know what will happen to an active SRDF/A session if there is a temporary link loss. What information should be provided to the customer?

- A. SRDF/A session remains active. Cycle switching continues on the R1 side, transmit queue depth increases.
- B. SRDF/A session remains active. Cycle switching stops, capture cycle rows.
- C. SRDF/A session drops. Cycle switching stops. New writes to R1 are tracked as invalids to R2.
- D. SRDF/A session drops. Cycle switching stops. New writes to R1 are added to the transmit queue.

Correct Answer: A

QUESTION 2

You are designing SRDF/S over GiE between two VMAX3 arrays. The production and remote data centers are 100 km apart. What is the expected write response time delay due to latency?

- A. 0.25 ms
- B. 0.5 ms
- C. 1 ms
- D. 2 ms

Correct Answer: C

QUESTION 3

What is the benefit of the Link Capacity Adjustment Scheme in an SRDF deployment over a SONET circuit?

- A. Enables dynamic scaling of bandwidth based on requirements
- B. Enables low capacity circuits to be grouped together into a higher capacity link
- C. Allows the replication throughput to scale linearly based on the TCP connections
- D. Allows multiple wavelengths of data to be transmitted over the same circuit

Correct Answer: A

QUESTION 4

A proposed SRDF/S solution was modeled with BCSD. The model assumed that the source array had 4 GiE ports. The RA Utilization chart shows the maximum utilization is at 70%. How many GiE ports should be recommended to ensure a successful implementation?



A. 4

B. 5

C. 6

D. 8

Correct Answer: C

QUESTION 5

A VMware administrator has been tasked with managing storage for an ESXi cluster connected to a VMAX3 array. The VMware administrator is not familiar with Unisphere for VMAX and wants to use the VMware Web Client to provision VMFS datastores.

Which EMC product provides this functionality?

A. VSI Plug-in

B. VASA

C. PowerPath

D. SYMCLI

Correct Answer: A

[Latest E20-542 Dumps](#)

[E20-542 Study Guide](#)

[E20-542 Exam Questions](#)