



E20-542^{Q&As}

VMAX3 Solutions and Design Specialist Exam for Technology Architects

Pass EMC E20-542 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/e20-542.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

From an application perspective, what should be done prior to performing an SRDF failback operation?

- A. Stop access on R2 devices; start access on R1 devices after the command completes.
- B. Stop access on R2 devices; start access on R1 devices before the command completes.
- C. Continue access on R2 devices; start access on R1 devices after the command completes.
- D. Continue access on R2 devices; start access on R1 devices before the command completes.

Correct Answer: A

QUESTION 2

Which VMAX3 FAST data movement algorithms are performance related?

- A. Disk resource protection and SLO response time compliance
- B. SLO capacity compliance and SLO response time compliance
- C. SRP capacity compliance and Disk resource protection
- D. SRP capacity compliance and SLO capacity compliance

Correct Answer: A

QUESTION 3

You are discussing VMAX3 FAST algorithms with a customer. The customer wants to know more about the relationship between the Service Level Objectives and the algorithms. Which algorithm is the basis for the Optimized Service Level Objective?

- A. Disk resource protection
- B. SLO capacity compliance
- C. SLO response time compliance
- D. SRP capacity compliance

Correct Answer: A

QUESTION 4

You are in a meeting with a customer describing the features of VMAX3 arrays. The customer wants additional information about the VMAX3 factory pre-configuration.



Which objects are pre-configured at the factory?

- A. Disk Groups, Data Pools, and a Storage Resource Pool
- B. Storage Resource Pools and Masking Views
- C. Disk Groups, Data Pools, and Storage Groups
- D. Data Pools, Storage Resource Pools, and Port Groups

Correct Answer: A

QUESTION 5

What is the best practice guideline for back-end (DS) utilization on a two-engine VMAX3?

- A. 40%
- B. 50%
- C. 60%
- D. 70%

Correct Answer: B

[E20-542 PDF Dumps](#)

[E20-542 VCE Dumps](#)

[E20-542 Practice Test](#)