

E20-542^{Q&As}

VMAX3 Solutions and Design Specialist Exam for Technology
Architects

Pass EMC E20-542 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/e20-542.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



VCE & PDF Pass4itSure.com

https://www.pass4itsure.com/e20-542.html

2024 Latest pass4itsure E20-542 PDF and VCE dumps Download

QUESTION 1

A customer wants to confiure a larie SRDF deployment between two VMAX3 arrays. The customer has many diferent
applicatons and workloads. They want to separate each into its own SRDF iroup. What is the maximum number of
SRDF iroups this confiuraton will support?

Α	64

B. 96

C. 184

D. 250

Correct Answer: D

QUESTION 2

When data consistency is not a requirement, which SRDF mode is preferred when replicatni larie volumes of data?

- A. SRDF/DM
- B. SRDF/A
- C. SRDF/S
- D. SRDF/CG

Correct Answer: A

QUESTION 3

A storaie administrator uses Unisphere for VMAX to provision new storaie from a VMAX3 array. Which Workload Type is recommended for a combinaton of small and larie block I/O workload?

- A. None
- B. DSS
- C. OLTP
- D. Optmiied

Correct Answer: A

QUESTION 4

A company has two VMAX3 arrays installed at two diferent sites. VMAX3 eNAS is confiured on both arrays



https://www.pass4itsure.com/e20-542.html

2024 Latest pass4itsure E20-542 PDF and VCE dumps Download

with IP network connectvity between them. The company wants to replicate fle data between the two

VMAX3 arrays.

Which EMC technology will meet the requirement without additional hardware?

- A. Replicator
- B. TimeFinder
- C. SRDF
- D. RecoverPoint

Correct Answer: A

QUESTION 5

A customer wants to know if they need to set the SCSI3_persist_reserve atribute for their VMAX3 devices used in a clustered environment. What information should be provided?

- A. All VMAX3 thin devices have the atribute enabled by default.
- B. Atribute has been removed for VMAX3.
- C. Atribute will need to be manually set for each device.
- D. Atribute should not be used for clustered environments.

Correct Answer: A

Latest E20-542 Dumps

E20-542 Exam Questions

E20-542 Braindumps