

# E20-559<sup>Q&As</sup>

Isilon Solutions Specialist Exam for Storage Administrators

## Pass EMC E20-559 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.pass4itsure.com/e20-559.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



# VCE & PDF Pass4itSure.com

#### https://www.pass4itsure.com/e20-559.html

2024 Latest pass4itsure E20-559 PDF and VCE dumps Download

#### **QUESTION 1**

A storage administrator has an Isilon cluster consisting of 10 nodes with identical hardware and are members of a single
node pool. A 1024Kb file stored on that cluster is protected at N+3n. What is the total number of copies of the file\\'s
metadata?

- A. 3
- B. 4
- C. 6
- D. 5

Correct Answer: B

#### **QUESTION 2**

What accurately describes the behavior of On Disk Identity set to native on an Isilon cluster?

- A. A file will be owned by a user\\'s real SID if no real UID exists for that user
- B. All files in shares can only be owned by a SID
- C. All files in exports can only be owned by a UID
- D. User identities must be defined through external authentication providers

Correct Answer: A

#### **QUESTION 3**

Which component is passive during LACP communication between the cluster and the Ethernet switch?

- A. Isilon
- B. Switch
- C. MAC address
- D. SmartConnect zone

Correct Answer: A

#### **QUESTION 4**

What is required to enable Secure NFS on an Isilon cluster?

A. Services for NFS must be configured in the AD environment



### https://www.pass4itsure.com/e20-559.html

2024 Latest pass4itsure E20-559 PDF and VCE dumps Download

- B. LDAP must be configured in the system access zone
- C. NFS access must use static address pools
- D. Cluster must be configured to use NTP

Correct Answer: A

#### **QUESTION 5**

An organization has a five-node standard Isilon cluster. Due to regulatory requirements, they need to build a compliance mode cluster using the existing production hardware.

How can this be achieved?

- A. Perform an in-place upgrade of the standard cluster to a compliance mode cluster
- B. SmartFail two of the nodes and use them to build a new compliance mode cluster
- C. Add the SmartLock license to the existing cluster and create some compliance mode directories
- D. Purchase a new cluster as there is no way to upgrade an existing cluster or reformat nodes

Correct Answer: A

E20-559 VCE Dumps

E20-559 Study Guide

E20-559 Braindumps