



E20-885^{Q&As}

VNX Solutions Expert Exam for Implementation Engineers

Pass EMC E20-885 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/e20-885.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Which RecoverPoint/SE volume type is used to track changes to the data during marking mode?

- A. Production journal
- B. Repository
- C. Copy journal
- D. All volumes in the replication set

Correct Answer: A

QUESTION 2

A healthcare company uses MirrorView replication between VNX located at their two data centers. They use the Write Intent Log (WIL) feature on both VNX. There was an outage at the production data center and production workload was transferred to the DR data center. When then production workload was failed back to the production data center, the customer found all MirrorView LUNs completed a full resynchronization. What caused this situation?

- A. The WIL information is stored on the SP Cache and was lost during the outage of the production data center.
- B. The WIL information was lost during the production data center outage and a full re- synchronization of all the LUNs was required.
- C. The WIL information was not transferred from the production data center to the DR data center after the outage.
- D. The WIL information is non-relevant after the MirrorView secondary images have been promoted to primary image.

Correct Answer: D

QUESTION 3

A customer is implementing a DR solution for their CIFS file systems in an EMC VNX for File environment. The customer must ensure all configuration settings are available on the secondary site, in case of a disaster. Which VNX features need to be configured to meet the customer's DR requirements?

- A. CIFS, Usermapper and Replicator
- B. CIFS, VDMs and Replicator
- C. VDMs, Replicator and CAVA
- D. CIFS, CAVA and Replicator

Correct Answer: B

QUESTION 4



You are planning for fracture granularity.

What granularity should you use to track updates to a 1 TB clone source LUN?

- A. 64 KB
- B. 128 KB
- C. 256 KB
- D. 512 KB

Correct Answer: A

QUESTION 5

You implement a CIFS DR solution for a customer using the One-to-Many replication topology. They ask you to explain replication behavior under the following conditions:

Production site failover or switchover to a DR site

Replication start and reverse is performed

What should you advise the customer?

- A. The original production site goes into cascade mode to synchronize data for the remaining DR sites.
- B. The original production site remains a One-to-Many replication source for the other DR sites.
- C. All remaining replication sessions to the other DR sites are suspended.
- D. The DR site becomes a replication source for the other DR sites; the original production site is marked as invalid.

Correct Answer: A

[E20-885 PDF Dumps](#)

[E20-885 Exam Questions](#)

[E20-885 Braindumps](#)