



# E20-895<sup>Q&As</sup>

Backup Recovery - Avamar Expert Exam for Implementation Engineers

## Pass EMC E20-895 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/e20-895.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by EMC  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

A customer wants to back up their DB2 database on a Dell EMC Avamar DB2 client. Currently they are using Avamar Administrator. In addition, they want to perform backups of individual table spaces. What can be used to meet this requirement?

- A. DB2 CLP
- B. NMDA for DB2
- C. Avamar MCCLI
- D. Avamar Administrator

Correct Answer: A

---

**QUESTION 2**

An EMC Avamar administrator uses the avtar parameter hashcachemax = 96 to change the maximum size of the hash cache. What is the maximum size in MB that the hash cache will be allowed to grow to?

- A. 24
- B. 48
- C. 96
- D. 192

Correct Answer: B

---

**QUESTION 3**

A customer has a Hyper-V 2012 cluster with SMB environment and wants to perform image level backups of their virtual machines (VMs).

Where must the Hyper-V plug-in be installed?

- A. All cluster nodes
- B. Cluster proxy node
- C. VM guest OS
- D. Active cluster node

Correct Answer: A

---

**QUESTION 4**



A backup administrator needs to recover some deleted emails in an Exchange 2010 environment and decides to use the RDB method. When the recovery from Avamar is started it immediately fails. What could be the cause of the recovery failure?

- A. The RDB information was missing.
- B. The RSG information was missing.
- C. The mail transaction logs were invalid.
- D. The mail transaction logs were missing.

Correct Answer: A

---

#### QUESTION 5

An EMC Avamar customer is running a backup that is being directed to a Data Domain system. The backup has completed successfully; however, it is no longer needed. From Avamar Administrator, the customer manually deletes the backup.

When is the backup data deleted from the Data Domain system?

- A. Immediately on the Data Domain system
- B. Manually deleted on the Data Domain system by the administrator
- C. Next time the Avamar system runs garbage collection
- D. Next time the Data Domain file system cleaning operation runs

Correct Answer: C

[Latest E20-895 Dumps](#)

[E20-895 Practice Test](#)

[E20-895 Study Guide](#)