VCE & PDF
Pass4itSure.com

E22-258^{Q&As}

E22-258$^{Q\&As}$

XtremIO 3.x Flash Storage Solutions

Pass EMC E22-258 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/e22-258.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

365 Days Free Update

800,000+ Satisfied Customers

QUESTION 1

The XtremIO Management Server (XMS) reports that an XtremIO cluster has a compression ratio of 1.7:1 and a deduplication ratio of 3.1:1. What is the reported data reduction ratio?

A. 0.6:1

B. 1.8:1

C. 4.8:1

D. 5.3:1

Correct Answer: D

QUESTION 2

You have been asked to install an XtremIO dual X-Brick array. In which guide is the required network firewall information located to inform the customer?

A. Site Preparation Guide

B. Operations Guide

C. Software Installation and Upgrade Guide

D. Installation Summary Guide

Correct Answer: A

QUESTION 3

What is a performance best practice for FC zoning in XtremIO environments?

A. Use WWPN-based zoning with one initiator per zone

B. Use WWPN-based zoning with multiple initiators per zone

C. Use port-based zoning with one initiator and one target per zone

D. Use port-based zoning with multiple initiators and targets per zone

Correct Answer: A

QUESTION 4

On an XtremIO system, what is the reason for using the Easy-Install CLI?

A. Initially configure the storage controllers and the physical XMS

B. Place the array components in the correct order

C. Initially configure the TECH port

D. Generate debug information

Correct Answer: A

QUESTION 5

On an XtremIO system, how many unit spaces are required for one X-Brick, including reserved space(s)?

A. 6U

B. 7U

C. 8U

D. 9U

Correct Answer: B

Latest E22-258 Dumps   E22-258 Exam Questions   E22-258 Braindumps