



E22-285^{Q&As}

VxRail Appliance 4.x Deployment and Implementation Exam

Pass EMC E22-285 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/e22-285.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Which step is required to enable VxRail Manager capabilities to register the system, obtain product license files, update system software, download VxRail documentation, and browse VxRail Community?

- A. Enable the cluster/VDS/management accounts when using an external vCenter
- B. Enable EMC Secure Remote Support (ESRS)
- C. Configure VMware Secure Support Account (vSSA) access
- D. Set the Username and Password for the Support Account

Correct Answer: A

QUESTION 2

Which user provided block of IP addresses to the VxRail initialization wizard may contain non-contiguous addresses?

- A. VMware Virtual SAN
- B. ESXi host
- C. vSphere vMotion
- D. NTP Servers

Correct Answer: D

QUESTION 3

What is a consideration for using link aggregation on the Top of Rack (ToR) switch for a VxRail?

- A. Should not be used for VxRail node ports, but can be used for uplink and ISL
- B. Is not supported on the VxRail ToR switch
- C. Can be configured for any connectivity, but are not required
- D. Should always be configured for VxRail node ports to allow for failover

Correct Answer: A

QUESTION 4

Which setting can be changed port-deployment without risking VxRail system failure?

- A. Enhanced vMotion Compatibility (EVC) may be disabled



- B. Distributed Resource Scheduler (DRS) automation level
- C. VMware HCIA Distributed Switch Traffic Filtering and Marking may be enabled
- D. HA reserve capacity (for a 4 node cluster) may be reduced to 15%

Correct Answer: B

QUESTION 5

When using the RASR method to reset a VxRail node, which boot device is selected?

- A. RASRUSB
- B. SATADOM
- C. IDRAC SD CARD
- D. IDSDM

Correct Answer: D

[E22-285 Study Guide](#)

[E22-285 Exam Questions](#)

[E22-285 Braindumps](#)