



E22-285^{Q&As}

VxRail Appliance 4.x Deployment and Implementation Exam

Pass EMC E22-285 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/e22-285.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

An ESRS deployment on a VxRail system with external vCenter fails with "Invalid target datastore specified".

What is required to resolve this problem?

- A. Open a Service Request to involve support
- B. Retry deployment through the retry button
- C. Manually deploy ESRS
- D. Restart vCenter services and retry the deployment

Correct Answer: D

QUESTION 2

What is the correct command to restart the Loudmouth process on a VxRail node?

- A. `/usr/lib/vmware-loudmouth/bin/loudmouthc restart`
- B. `systemctl restart vmware-loudmouth`
- C. `/etc/init.d/loudmouth restart`
- D. `/sbin/service loudmouth restart`

Correct Answer: C

QUESTION 3

When adding an S Series node to a Gen 2 VxRail 240F cluster the build fails. What could be a possible cause of this situation?

- A. IP Pool has no more free addresses
- B. Hybrid and Flash nodes cannot be mixed in the same cluster
- C. Quanta and Dell hardware cannot be mixed in the same cluster
- D. Loudmouth process needs to be restarted

Correct Answer: B

QUESTION 4



Which step is required to enable VxRail Manager capabilities to register the system, obtain product license files, update system software, download VxRail documentation, and browse VxRail Community?

- A. Enable the cluster/VDS/management accounts when using an external vCenter
- B. Enable EMC Secure Remote Support (ESRS)
- C. Configure VMware Secure Support Account (vSSA) access
- D. Set the Username and Password for the Support Account

Correct Answer: A

QUESTION 5

After initial installation the vSAN health check is reporting issues. Which action needs to be taken to correct the vSAN health check error?

- A. Upgrade to the latest version of VxRail.
- B. Upgrade to the latest driver version.
- C. Reset error message to green.
- D. Update HCL database and run health check.

Correct Answer: B

[E22-285 PDF Dumps](#)

[E22-285 Study Guide](#)

[E22-285 Exam Questions](#)