



E22-285^{Q&As}

VxRail Appliance 4.x Deployment and Implementation Exam

Pass EMC E22-285 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/e22-285.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which method can be used to reset a VxRail V Series node?

- A. Rapid Appliance Self Recovery
- B. Bootable ISO Image
- C. Mobile Build Server
- D. Reset Script

Correct Answer: D

QUESTION 2

What is a consideration for using link aggregation on the Top of Rack (ToR) switch for a VxRail?

- A. Should not be used for VxRail node ports, but can be used for uplink and ISL
- B. Is not supported on the VxRail ToR switch
- C. Can be configured for any connectivity, but are not required
- D. Should always be configured for VxRail node ports to allow for failover

Correct Answer: A

QUESTION 3

A company has chosen to deploy an external vCenter/PSC. They would like to use the bundled vCenter license that comes with VxRail.

What is the correct procedure to do this?

- A. Contact EMC Licensing to have a replacement vCenter license generated. Next, license the newly created vCenter. Last, deploy VxRail with external vCenter.
- B. Contact VMware Licensing to have a replacement vCenter license generated. Next, license the newly created vCenter. Last, deploy VxRail with external vCenter.
- C. Log into VxRail Manager through SSH and extract the vCenter license key from the application properties file. Next, license the newly created vCenter. Last, deploy VxRail with external vCenter.
- D. Bundled vCenter license is only valid when vCenter is internally deployed. The company must provide their own vCenter license.

Correct Answer: D



QUESTION 4

What is a requirement for Top of Rack (ToR) switch VxRail node ports?

- A. Enable Spanning Tree
- B. Disable IGMP Snooping
- C. Enable IGMP Querier
- D. Disable Link Aggregation

Correct Answer: D

QUESTION 5

In a VxRail Stretched Cluster built from eight all-flash nodes, what should be the recommended storage policy to ensure the highest possible protection?

- A. Raid-1(Mirroring) FTT=1
- B. Raid-1(Mirroring) FTT=2
- C. Raid-5/6(Erasure Coding) FTT=1
- D. Raid-5/6(Erasure Coding) FTT=2

Correct Answer: B

[E22-285 PDF Dumps](#)

[E22-285 Practice Test](#)

[E22-285 Braindumps](#)