



# E22-285<sup>Q&As</sup>

VxRail Appliance 4.x Deployment and Implementation Exam

**Pass EMC E22-285 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/e22-285.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by EMC  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

The Market Place on a VxRail Manager is empty on a newly deployed system. Testing shows that the Internet is reachable through proxy in the management network. Which action should be taken to correct this situation?

- A. VxRail Manager has no proxy support.
- B. Upgrade to latest version and add proxy configuration manually.
- C. Manually add the proxy information in the VxRail Manager configuration
- D. Reset the appliance and redeploy with proxy information filled in the deployment process.

Correct Answer: B

---

**QUESTION 2**

When preparing for a VxRail deployment, which components require forward and reserve DNS records?

- A. ESXi hosts, vRealize Log Insight, and Platform Services Controller
- B. Platform Services Controller, vCenter, and ESRS/VE
- C. ESXi hosts, vCenter, and vRealize Operations
- D. ESXi Hosts, vCenter, and ESRS/VE

Correct Answer: A

---

**QUESTION 3**

What is the maximum number of hosts supported in a VxRail Stretched Cluster?

- A. 15
- B. 16
- C. 31
- D. 32

Correct Answer: C

---

**QUESTION 4**

In a 24 node Stretched Cluster VxRail deployment, what is the acceptable Round Trip Time (RTT) latency between sites?

- A. Primary to witness site RTT latency: 10 ms Secondary to witness site RTT latency: 10 ms Primary to secondary site RTT latency: 10 ms



B. Primary to witness site RTT latency: 50 ms Secondary to witness site RTT latency: 50 ms Primary to secondary site RTT latency: 6 ms

C. Primary to witness site RTT latency: 75 ms Secondary to witness site RTT latency: 75 ms Primary to secondary site RTT latency: 1 ms

D. Primary to witness site RTT latency: 75 ms Secondary to witness site RTT latency: 150 ms Primary to secondary site RTT latency: 5 ms

Correct Answer: A

---

### QUESTION 5

What is a requirement for Top of Rack (ToR) switch VxRail node ports?

- A. Enable Spanning Tree
- B. Disable IGMP Snooping
- C. Enable IGMP Querier
- D. Disable Link Aggregation

Correct Answer: D

[E22-285 VCE Dumps](#)

[E22-285 Practice Test](#)

[E22-285 Brindumps](#)