



# EX200<sup>Q&As</sup>

Red Hat Certified System Administrator - RHCSA

## Pass RedHat EX200 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/ex200.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by RedHat  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

According to the following requirements to create a local directory /common/admin.

This directory has admin group.

This directory has read, write and execute permissions for all admin group members.

Other groups and users don't have any permissions.

All the documents or directories created in the /common/admin are automatically inherit the admin group.

Correct Answer: Check the answer in explanation.

```
mkdir -p /common/admin chgrp admin /common/admin chmod 2770 /common/admin
```

---

**QUESTION 2**

Change the logical volume capacity named vo from 190M to 300M. and the size of the floating range should set between 280 and 320. (This logical volume has been mounted in advance.)

Correct Answer: Check the answer in explanation.

```
# vgdisplay (Check the capacity of vg, if the capacity is not enough, need to create pv , vgextend , lvextend) # lvdisplay (Check lv) # lvextend -L +110M /dev/vg2/lv2 # resize2fs /dev/vg2/lv2 mount -a (Verify)
```

```
(Decrease lvm) # umount /media # fsck -f /dev/vg2/lv2 # resize2fs -f /dev/vg2/lv2 100M # lvreduce -L 100M /dev/vg2/lv2 # mount -a # lvdisplay (Verify) OR # e2fsck -f /dev/vg1/lvm02 # resize2fs -f /dev/vg1/lvm02 # mount /dev/vg1/lvm01 /mnt # lvreduce -L 1G -n /dev/vg1/lvm02 # lvdisplay (Verify)
```

---

**QUESTION 3**

Please open the ip\_forward, and take effect permanently.

Correct Answer: Check the answer in explanation.

```
vim /etc/sysctl.conf net.ipv4.ip_forward = 1
```

sysctl -w (takes effect immediately) If no "sysctl.conf" option, use these commands:

```
sysctl -a |grep net.ipv4
```

```
sysctl -P net.ipv4.ip_forward = 1
```

```
sysctl -w
```

---

**QUESTION 4**

Create a backup



Create a backup file named /root/backup.tar.bz2, contains the content of /usr/local, tar must use bzip2 to compress.

Correct Answer: Check the answer in explanation.

```
cd /usr/local tar -jcvf /root/backup.tar.bz2
```

mkdir /test tar -jxvf /root/backup.tar.bz2 -C /test// Decompression to check the content is the same as the /usr/local after  
If the questions require to use gzip to compress. change -j to -z.

---

### QUESTION 5

Configure iptables, there are two domains in the network, the address of local domain is 172.24.0.0/16 other domain is 172.25.0.0/16, now refuse domain 172.25.0.0/16 to access the server.

Correct Answer: Check the answer in explanation.

```
iptables -F service iptables save iptables -A INPUT -s 172.25.0.0/16 -j REJECT service iptables save service iptables restart
```

[Latest EX200 Dumps](#)

[EX200 PDF Dumps](#)

[EX200 Exam Questions](#)