



EX294^{Q&As}

Red Hat Certified Engineer (RHCE) exam for Red Hat Enterprise Linux
8 Exam

Pass RedHat EX294 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/ex294.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by RedHat
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Please open the ip_forward and take effect permanently.

A. Answer: See the for complete Solution below.

Correct Answer: A

```
# vim /etc/sysctl.conf
    net.ipv4.ip_forward = 1
# sysctl -w (takes effect immediately)
```

If no "sysctl.conf" option, use these commands:

```
# sysctl -a |grep net.ipv4
# sysctl -P net.ipv4.ip_forward = 1
# sysctl -w
```

QUESTION 2

```
1. vi /etc/sysconfig/network
NETWORKING=yes
HOSTNAME=station?.example.com
GATEWAY=192.168.0.254
2. service network restart
Or
1. vi /etc/sysconfig/network-scripts/ifcfg-eth0
DEVICE=eth0
ONBOOT=yes
BOOTPROTO=static
IPADDR=X.X.X.X
NETMASK=X.X.X.X
GATEWAY=192.168.0.254
2. ifdown eth0
3. ifup eth0
```

SIMULATION



One Logical Volume is created named as myvol under vo volume group and is mounted. The Initial Size of that Logical Volume is 400MB. Make successfully that the size of Logical Volume 200MB without losing any data. The size of logical volume 200MB to 210MB will be acceptable.

A.

Correct Answer: Please see explanation

QUESTION 3

```
# yum install -y iscsi*
# chkconfig iscsid on
# iscsiadm -m discovery -t st -p 172.24.30.100
# iscsiadm -m node -T ign.2011 -p 172.24.30.100 -l
# dmesg|tail
# fdisk /dev/sdb9
-----
# mkfs.ext3 /dev/sdb9
# cd /mnt
# mkdir data
# blkid /dev/sdb1 (Check UUID number)

# vim /etc/fstab
    UUID=xxxxxxxxxxxxxxxxxxxx /mnt/data ext3 _netdev,defaults 0 0
0
# mount -a
# mount
```

OR

```
# vim /dev/fstab
    UUID=xxxxxxxxxxxxxxxxxxxx /mnt/data ext3 defaults 0 0
# chkconfig netfs2 on
```

SIMULATION There are two different networks 192.168.0.0/24 and 192.168.1.0/24. Where 192.168.0.254 and 192.168.1.254 IP Address are assigned on Server. Verify your network settings by pinging 192.168.1.0/24 Network's Host.

A.

Correct Answer: Please see explanation



QUESTION 4

Shutdown the /root/cdrom.iso under /opt/data and set as boot automatically mount.

A. Answer: See the for complete Solution below.

Correct Answer: A

QUESTION 5

SIMULATION

There were two systems:

system1, main system on which most of the configuration take place

system2, some configuration here

Configure selinux.

Configure your systems that should be running in Enforcing.

A.

Correct Answer: Please see explanation

[EX294 PDF Dumps](#)

[EX294 VCE Dumps](#)

[EX294 Practice Test](#)