



# EX407<sup>Q&As</sup>

Red Hat Certified Specialist in Ansible Automation exam

## Pass RedHat EX407 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/ex407.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by RedHat  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

What is wrong with the following command: `ansible all -a "mkdir/tmp/testfile"`

- A. There is not a module specified.
- B. There is not an inventory file specified.
- C. The command will execute without error.
- D. The `-b` flag is required.

Correct Answer: C

This command will execute using the `command` module by default.

---

**QUESTION 2**

Which of these are valid as the first thing in a playbook? (Choose all that apply.)

- A. `--`
- B. `- tasks: name=`
- C. `--- # this is a comment`
- D. `- hosts: local`

Correct Answer: AC

---

**QUESTION 3**

Which of the following are valid flags for the `ansible-playbook` command? (Choose all that apply.)

- A. `--include-tags`
- B. `--tags`
- C. `--skip-tags`
- D. `--tag`

Correct Answer: BC

The `--skip-tags` flag allows specification of tags to identify specific plays for Ansible to skip.

---

**QUESTION 4**

Which command is the correct way to run the playbook `/home/ansible/Buildwww.yml` using the inventory file



/home/ansible/inventory, assuming your present working directory is /home/ansible?

- A. ansible -i inventory Build.yml
- B. ansible -i inventory -p Buildwww.yml
- C. ansible-playbook -i inventory -p Buildwww.yml
- D. ansible-playbook -i inventory Buildwww.yml

Correct Answer: D

This command is the correct way to run the playbook using the requested inventory

---

## QUESTION 5

### SIMULATION

Using the Simulation Program, perform the following tasks:

Ad-Hoc Ansible Commands (Number Two) Task:

1.

Use the ad-hoc command to make sure php is installed.

2.

Use the ad-hoc command to make sure that php is installed and is the latest version.

3.

Use the ad-hoc command to make sure that httpd is installed.

4.

Use the ad-hoc command to remove httpd from the servers.

A.

Correct Answer: See explanation below.

[EX407 VCE Dumps](#)

[EX407 Study Guide](#)

[EX407 Exam Questions](#)