



EX407^{Q&As}

Red Hat Certified Specialist in Ansible Automation exam

Pass RedHat EX407 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/ex407.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by RedHat
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

How is a role name set?

- A. The role name is defined by the directory containing the role.
- B. Ansible loads a role name using the role keyword in the roles tasks/main.yml file.
- C. Ansible loads a role name from the roles meta/main.yml file.
- D. All role names are defined in the file /etc/ansible/roles.

Correct Answer: A

QUESTION 2

Create a role called sample-apache and store it in /home/bob/ansible/roles. The role should satisfy the following requirements:

*In the role, install and enable httpd. Also enable the firewall to allow http. Also run the template

*index.html.j2 and make sure this runs Create a template index.html.j2 that displays "Welcome to the server HOSTNAME"

In a play called apache.yml in /home/bob/ansible/ run the sample-apache role.

Correct Answer:

See the for complete Solution below. /home/sandy/ansible/apache.yml

```
---
- name: http
  hosts: webservers
  roles:
    - sample-apache
```

/home/sandy/ansible/roles/sample-apache/tasks/main.yml



```
---
# tasks file for sample-apache
- name: enable httpd
  service:
    name: httpd
    state: started
    enabled: true
- name: enable firewall
  service:
    name: firewalld
    state: started
    enabled: true
- name: firewall http service
  firewalld:
    service: http
    state: enabled
    permanent: yes
    immediate: yes
- name: index
  template:
    src: templates/index.html.j2
    dest: /var/www/html/index.html
    src: templates/index.html.j2
    dest: /var/www/html/index.html
  notify:
    - restart
```



/home/sandy/ansible/roles/sample-apache/templates/index.html.j2

```
Welcome to {{ansible_fqdn}} {{ansible_default_ipv4.address}}
```

In /home/sandy/ansible/roles/sample-apache/handlers/main.yml

```
- name: restart
  service:
    name: httpd
    state: restarted
```

QUESTION 3

What is wrong with the following command: `ansible all -a "mkdir/tmp/testfile"`

- A. There is not a module specified.
- B. There is not an inventory file specified.
- C. The command will execute without error.
- D. The `-b` flag is required.

Correct Answer: C

This command will execute using the `command` module by default.

QUESTION 4

Where does `ansible-galaxy` install place roles by default?

- A. `$PWD/roles`
- B. `/etc/ansible/roles`
- C. `/etc/roles`
- D. `/usr/share/ansible/roles`

Correct Answer: B

This is the default location where `ansible-galaxy` install will attempt to install a role.



QUESTION 5

State whether the following statement is true or false.

The command `ansible-galaxy init` won't create the file structure you need for roles.

A. True

B. False

Correct Answer: B

It will create the correct structure for you.

[Latest EX407 Dumps](#)

[EX407 Practice Test](#)

[EX407 Exam Questions](#)