



# EX447<sup>Q&As</sup>

Red Hat Certified Specialist in Advanced Automation: Ansible Best Practices

## Pass RedHat EX447 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/ex447.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by RedHat Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





## QUESTION 1

### CORRECT TEXT

Using the Simulation Program, perform the following tasks:

1.

Use an ansible ad-hoc command, check the connectivity of your servers.

2.

Use an ad-hoc ansible command, find the free space of your servers.

3.

Use an ad-hoc ansible command, find out the memory usage of your servers.

4.

Do an ls -l on the targets /var/log/messages file.

5.

Tail the contents of the targets /var/log/messages file.

A. See the for complete Solution below.

Correct Answer: A

1.

ansible all -m ping

2.

ansible all -a "/bin/df -h"

3.

ansible all-a "/usr/bin/free"

4.

ansible all -a "ls -l /var/log/messages"

5.

ansible local -b -a "tail /var/log/messages"

---

## QUESTION 2

### CORRECT TEXT



Create a file called mysecret.yml on the control host using ansible vault in home/bob/ansible. Set the password to \\notasafepass\\ and inside the file create a variable called dev\_pass with the value of devops. Save the file. Then go back in the file and change dev\_pass value to devops123. Then change the vault password of mysecret.yml to verysafepass

A. See the for complete Solution below.

Correct Answer: A

ansible-vault create lock.yml New Vault Password: reallysafepw Confirm: reallysafepw

In file:

```
pw_dev: dev
pw_mgr: mgr
```

---

### QUESTION 3

#### CORRECT TEXT

Create a file called requirements.yml in /home/sandy/ansible/roles. A file called role.yml in /home/sandy/ansible/. The haproxy-role should be used on the proxy host. And when you curl http://node3.example.com it should display "Welcome to node4.example.com" and when you curl again "Welcome to node5.example.com" The php-role should be used on the prod host.

A. See the for complete Solution below.

Correct Answer: A

Solution as:

```
- name: install haproxy and php roles
  hosts: all
  vars:
    haproxy_backend_servers:
      - name: web1
        address: node4.example.com
      - name: web2
        address: node5.example.com
  tasks:
    - name: import haproxy
      include_role: haproxy-role
      when: "proxy" in group_names
    - name: import php
      include_role: php-role
      when: "prod" in group_names
```



Check the proxy host by curlhttp://node3.example.com

---

#### QUESTION 4

##### CORRECT TEXT

Create a playbook called issue.yml in /home/sandy/ansible which changes the file /etc/issue on all managed nodes: If host is a member of (lev then write "Development" If host is a member of test then write "Test" If host is a member of prod then write "Production"

A. See the for complete Solution below.

Correct Answer: A

Solution as:

```
---
- name: issue file
  hosts: dev,test,prod
  tasks:
    - name: edit development node
      copy:
        content: Development
        dest: /etc/issue
      when: "dev" in group_names
    - name: edit test node
      copy:
        content: Test
        dest: /etc/issue
      when: "test" in group_names
    - name: edit development node
      copy:
        content: Production
        dest: /etc/issue
      when: "prod" in group_names
...
```

#### QUESTION 5

##### CORRECT TEXT

Create a file called requirements.yml in /home/sandy/ansible/roles to install two roles. The source for the first role is geerlingguy.haproxy and geerlingguy.php. Name the first haproxy-role and the second php-role. The roles should be installed in /home/sandy/ansible/roles.

A. See the for complete Solution below.

Correct Answer: A



in /home/sandy/ansible/roles vim requirements.yml

```
- src: geerlingguy.haproxy
  name: haproxy-role
- src: geerlingguy.php_role
  name: php_role
```

Run the requirements file from the roles directory:

ansible-galaxy install -r requirements.yml -p /home/sandy/ansible/roles

[Latest EX447 Dumps](#)

[EX447 Practice Test](#)

[EX447 Exam Questions](#)