



FCNSP.V5^{Q&As}

Fortinet Certified Network Security Professional (FCNSP.v5)

Pass Fortinet FCNSP.V5 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/fcnsp-v5.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

What are the requirements for a cluster to maintain TCP connections after device or link failover? (Select all that apply.)

- A. Enable session pick-up.
- B. Only applies to connections handled by a proxy.
- C. Only applies to UDP and ICMP connections.
- D. Connections must not be handled by a proxy.

Correct Answer: AD

QUESTION 2

Which of the following describes the difference between the ban and quarantine actions?

- A. A ban action prevents future transactions using the same protocol which triggered the ban. A quarantine action blocks all future transactions, regardless of the protocol.
- B. A ban action blocks the transaction. A quarantine action archives the data.
- C. A ban action has a finite duration. A quarantine action must be removed by an administrator.
- D. A ban action is used for known users. A quarantine action is used for unknown users.

Correct Answer: A

QUESTION 3

Which of the following statements is correct based on the firewall configuration illustrated in the exhibit?

ID	Source	Destination	Schedule	Service	Action	Status	Authentication
internal -> external (5)							
internal -> vlink0 (1)							
internal -> wan2 (1)							
3	all	all	always	ANY	ACCEPT	<input checked="" type="checkbox"/>	local
Implicit (1)							

- A. A user can access the Internet using only the protocols that are supported by user authentication.
- B. A user can access the Internet using any protocol except HTTP, HTTPS, Telnet, and FTP. These require authentication before the user will be allowed access.
- C. A user must authenticate using the HTTP, HTTPS, SSH, FTP, or Telnet protocol before they can access any services.



D. A user cannot access the Internet using any protocols unless the user has passed firewall authentication.

Correct Answer: D

QUESTION 4

The FortiGate Server Authentication Extensions (FSAE) provide a single sign on solution to authenticate users transparently to a FortiGate unit using credentials stored in Windows Active Directory.

Which of the following statements are correct regarding FSAE in a Windows domain environment when NTLM is not used? (Select all that apply.)

- A. An FSAE Collector Agent must be installed on every domain controller.
- B. An FSAE Domain Controller Agent must be installed on every domain controller.
- C. The FSAE Domain Controller Agent will regularly update user logon information on the FortiGate unit.
- D. The FSAE Collector Agent will retrieve user information from the Domain Controller Agent and will send the user logon information to the FortiGate unit.
- E. For non-domain computers, an FSAE client must be installed on the computer to allow FSAE authentication.

Correct Answer: BD

QUESTION 5

Which of the following describes the best custom signature for detecting the use of the word "Fortinet" in chat applications?

	Enable	URL	Action	Type
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	www.fortinet.com	Exempt	Simple
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	www.google.com	Allow	Simple

```
MSN Messenger Service
MSG 213 N 135\r\n
MIME-Version: 1.0\r\n
Content-Type: text/plain; charset=UTF-8\r\n
X-MMS-IM-Format: FN=MS%20shell%20dlg%20; EF=; CO=0; CS=1; PF=0\r\n
\r\n
Fortinet
```



- A. The sample packet trace illustrated in the exhibit provides details on the packet that requires detection. F-SBID(--protocol tcp; --flow from_client; --pattern "X-MMS-IM-Format"; --pattern "fortinet"; -no_case;)
- B. F-SBID(--protocol tcp; --flow from_client; --pattern "fortinet"; --no_case;)
- C. F-SBID(--protocol tcp; --flow from_client; --pattern "X-MMS-IM-Format"; --pattern "fortinet"; --within 20; --no_case;)
- D. F-SBID(--protocol tcp; --flow from_client; --pattern "X-MMS-IM-Format"; --pattern "fortinet"; --within 20;)

Correct Answer: A

[Latest FCNSP.V5 Dumps](#)

[FCNSP.V5 Study Guide](#)

[FCNSP.V5 Exam Questions](#)