



FCNSP^{Q&As}

FortiOS 4.0 GA, FortiAnalyzer 4.0 GA(FCNSP v4.0)

Pass Fortinet FCNSP Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/FCNSP.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Review the configuration for FortiClient IPsec shown in the Exhibit below.

New FortiClient VPN

Name: FClient

Local Outgoing Interface: port1

Authentication Method: Pre-shared Key

Pre-shared Key: [redacted]

User Group: training

Address Range Start IP: 172.20.1.1

Address Range End IP: 172.20.1.5

Subnet Mask: 255.255.255.0

☒ Enable IPv4 Split Tunnel

Accessible Networks: STUDENT_INTERNAL

DNS Server: ☒ Use System DNS ☐ Specify 0.0.0.0

OK Cancel

Which of the following statements is correct regarding this configuration?

- A. The connecting VPN client will install a route to a destination corresponding to the STUDENT_INTERNAL address object
- B. The connecting VPN client will install a default route
- C. The connecting VPN client will install a route to the 172.20.1.[1-5] address range
- D. The connecting VPN client will connect in web portal mode and no route will be installed

Correct Answer: A

QUESTION 2

Both the FortiGate and FortiAnalyzer units can notify administrators when certain alert conditions are met.

Considering this, which of the following statements is NOT correct?

- A. On a FortiGate device, the alert condition is based either on the severity level or on the log type, but not on a combination of the two.



B. On a FortiAnalyzer device, the alert condition is based either on the severity level or on the log type, but not on a combination of the two.

C. Only a FortiAnalyzer device can send the alert notification in the form of a syslog message.

D. Both the FortiGate and FortiAnalyzer devices can send alert notifications in the form of an email alert.

Correct Answer: B

QUESTION 3

A network administrator needs to implement dynamic route redundancy between a FortiGate unit located in a remote office and a FortiGate unit located in the central office.

The remote office accesses central resources using IPsec VPN tunnels through two different Internet providers.

What is the best method for allowing the remote office access to the resources through the FortiGate unit used at the central office?

A. Use two or more route-based IPsec VPN tunnels and enable OSPF on the IPsec virtual interfaces.

B. Use two or more policy-based IPsec VPN tunnels and enable OSPF on the IPsec virtual interfaces.

C. Use route-based VPNs on the central office FortiGate unit to advertise routes with a dynamic routing protocol and use a policy-based VPN on the remote office with two or more static default routes.

D. Dynamic routing protocols cannot be used over IPsec VPN tunnels.

Correct Answer: A

QUESTION 4

Review the output of the command `config router ospf` shown in the Exhibit below; then answer the question following it.



```
STUDENT (ospf) # show
config router ospf
  config area
    edit 0.0.0.0
    next
  end
  config network
    edit 1
      set prefix 10.0.1.0 255.255.255.0
    next
    edit 2
      set prefix 172.16.0.0 255.240.0.0
    next
  end
  config ospf-interface
    edit "R1_OSPF"
      set interface "Remote_1"
      set ip 172.16.1.1
      set mtu 1436
      set network-type point-to-point
    next
    edit "R2_OSPF"
      set cost 20
      set interface "Remote_2"
      set ip 172.16.1.2
      set mtu 1436
      set network-type point-to-point
    next
  end
  config redistribute "connected"
end
  config redistribute "static"
end
  config redistribute "rip"
end
  config redistribute "bgp"
end
  config redistribute "isis"
end
  set router-id 0.0.0.1
end
```



Which one of the following statements is correct regarding this output?

- A. OSPF Hello packets will only be sent on interfaces configured with the IP addresses 172.16.1.1 and 172.16.1.2.
- B. OSPF Hello packets will be sent on all interfaces of the FortiGate device.
- C. OSPF Hello packets will be sent on all interfaces configured with an address matching the 10.0.1.0/24 and 172.16.0.0/12 networks.
- D. OSPF Hello packets are not sent on point-to-point networks.

Correct Answer: C

**QUESTION 5**

The eicar test virus is put into a zip archive, which is given the password of "Fortinet" in order to open the archive. Review the configuration in the exhibits shown below; then answer the question that follows. Exhibit A Antivirus Profile:

Inspection Mode ☐ Proxy ☒ Flow-based

☐ Block Connections to Botnet Servers

Protocol	Virus Scan and Removal
Web	
HTTP	<input checked="" type="checkbox"/>
Email	
SMTP	<input type="checkbox"/>
POP3	<input type="checkbox"/>
IMAP	<input type="checkbox"/>
MAPI	<input type="checkbox"/>
File Transfer	
FTP	<input type="checkbox"/>
SMB	<input type="checkbox"/>
IM	
ICQ, Yahoo, MSN Messenger	<input type="checkbox"/>

Exhibit B Non-default UTM Proxy Options Profile:

Protocol Port Mapping

Enable	Protocol	Inspection Port(s)
<input checked="" type="checkbox"/>	HTTP	<input type="radio"/> Any <input checked="" type="radio"/> Specify 8080
<input checked="" type="checkbox"/>	SMTP	<input type="radio"/> Any <input checked="" type="radio"/> Specify 25
<input checked="" type="checkbox"/>	POP3	<input type="radio"/> Any <input checked="" type="radio"/> Specify 110
<input checked="" type="checkbox"/>	IMAP	<input type="radio"/> Any <input checked="" type="radio"/> Specify 143
<input checked="" type="checkbox"/>	FTP	<input type="radio"/> Any <input checked="" type="radio"/> Specify 21
<input checked="" type="checkbox"/>	NNTP	<input type="radio"/> Any <input checked="" type="radio"/> Specify 119
<input checked="" type="checkbox"/>	MAPI	135
<input checked="" type="checkbox"/>	DNS	53

Exhibit C DLP Profile: Which of one the following profiles could be enabled in order to prevent the file from passing through the FortiGate device over HTTP on the standard port for that protocol?



Seq #	Type	Action	Services	Archive
1	Encrypted	Block	POP3, HTTP	Disable

Apply

- A. Only Exhibit A
- B. Only Exhibit B
- C. Only Exhibit C with default UTM Proxy settings.
- D. All of the Exhibits (A, B and C)
- E. Only Exhibit C with non-default UTM Proxy settings (Exhibit B).

Correct Answer: C

[Latest FCNSP Dumps](#)

[FCNSP Practice Test](#)

[FCNSP Study Guide](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.pass4itsure.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 One Year Free Update <p>Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 Money Back Guarantee <p>To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 Security & Privacy <p>We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © pass4itsure, All Rights Reserved.