# FM0-305 Q&As

Developer Essentials for FileMaker 11

## Pass FileMaker FM0-305 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

**https://www.pass4itsure.com/fm0-305.html**

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by FileMaker Official Exam Center

- **Instant Download** After Purchase
- **100% Money Back** Guarantee
- **365 Days** Free Update
- **800,000+** Satisfied Customers

**QUESTION 1**

A FileMaker Pro 11 file named Arctic has Require full access privileges to create references to this file checked. Arctic has also authorized a file named Pacific. After Pacific has been authorized, the owner of Pacific makes a clone of the file and provides it to another developer.

How can the owner of Arctic remove authorization from the clone of Pacific and still allow the original Pacific to reference Arctic?

A. in the clone of Pacific, Deauthorize the Artic file

B. in Arctic, Deauthorize Pacific and then Authorize Pacific again

C. clones of files do not inherit authorizations no additional steps required

D. in Arctic, Deauthorize the new Authorization ID that appears after the first time the clone references Arctic

Correct Answer: B

**QUESTION 2**

Which two statements are true about OnTimer triggers? (Choose two.)

A. They only run when the application is idle.

B. OnTimer triggers are configured in the File Options dialog.

C. Different OnTimer scripts can be installed in different windows.

D. Days and times can be specified when the OnTimer script activates.

Correct Answer: AC

**QUESTION 3**

For which two is it possible to specify conditional formatting? (Choose two.)

A. a Web Viewer

B. a merge variable

C. a layout\\'s body part

D. the title of a chart object.

E. an inserted graphic formatted as a button

F. a rectangle object being used as a graphical background

Correct Answer: AB

**QUESTION 4**

The field exampleField has a script trigger set to activate OnObjectKeystroke and run the following script:

Allow User Abort [Off]

Set Error Capture [On]

If [Length (File::exampleField)= 7]

Exit Script [Result: 0]

Else

Set Field [File::exampleField File::Field and ""]

Exit Script []

End If

The field exampleField has the value of 111111.

At the end of the string a 9 is entered.

What is the resulting value in the field after the script trigger has processed?

A. 0

B. 111111

C. 111111

D. 1111110

E. 1111119

Correct Answer: B

**QUESTION 5**

A hosted FileMaker Pro 11 file contains a text field called ColorChoice that uses global storage. User A and User B are using the file. User A runs a script that changes the value in the ColorChoice field.

User A logs off and User B continues working. User B runs a script that modifies the ColorChoice field after User A has logged off.

If there is no other activity in the database, when User A logs back in, which value will User A see in the

ColorChoice field?

A. No value: the field will be empty.

B. The last value that User A\\'s script entered into the field.

C. The last value that User B\\'s script entered into the field.

D. The last value that was saved in a session that was running on the file\\'s host.

Correct Answer: D

FM0-305 Practice Test FM0-305 Exam Questions FM0-305 Braindumps