



# FPGEE<sup>Q&As</sup>

Foreign Pharmacy Graduate Equivalency Examination

## Pass NABP FPGEE Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/fpgee.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by NABP  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Subclass of norfloxacin is:

- A. III
- B. Fluoroquinolones
- C. IC
- D. Bulk-forming laxatives
- E. II

Correct Answer: B

---

### QUESTION 2

Which of the following statement is/are correct regarding Gray Babies syndrome?

I- Occurs in premature and new born infants when chloramphenicol is administered during the first few days of life II- Due to inability of the infant to metabolize the drug because of glucuronyl transferase deficiency III- Glucuronyl transferase is required to detoxify chloramphenicol

- A. I only
- B. III only
- C. I and II only
- D. II and III only
- E. All are correct

Correct Answer: E

---

### QUESTION 3

Which pyrimidine base is not present in RNA sequence?

- A. Uracil
- B. Thiamine
- C. Cytosine
- D. Guanine
- E. Adenine



Correct Answer: A

---

#### QUESTION 4

Which of the following diuretics is used to block the Na<sup>+</sup>H<sup>+</sup> exchange system of the renal tubule?

- A. Furosemide
- B. Hydrochlorothiazide
- C. Spironolactone
- D. Acetazolamide
- E. Amiloride

Correct Answer: D

---

#### QUESTION 5

Given that the  $VD = 230 \text{ L}/70\text{Kg}$  and  $Cl = 60 \text{ L/hr}/70 \text{ Kg}$  for morphine, approximately how much of a 10 mg IV dose remains after 8 hr, given to a normal 70 Kg patient?

- A. 5 mg
- B. 2.5 mg
- C. 1.25 mg
- D. 625 mg

Correct Answer: C

[Latest FPGEE Dumps](#)

[FPGEE Study Guide](#)

[FPGEE Braindumps](#)