



FPGEE^{Q&As}

Foreign Pharmacy Graduate Equivalency Examination

Pass NABP FPGEE Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/fpgee.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by NABP
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Approximately 50% of dicloxacillin is excreted unchanged in the urine. If the normal dosage schedule for dicloxacillin is 125 mg q6h, a patient with renal function 20% of normal should receive:

- A. 25 mg q6h
- B. 31.25 mg q6h
- C. 62.5 mg q6h
- D. 75 mg q6h
- E. 125 mg q12h

Correct Answer: D

QUESTION 2

Which of the following is NOT an anti-fungal drug?

- A. Amphotericin B
- B. Metronidazole
- C. Griseofulvin
- D. Nystatin
- E. Clotrimazole

Correct Answer: B

QUESTION 3

Bioavailability is related to which of the following parameters, according to the equation $F = 1 - E$

- A. Excretion
- B. Elimination
- C. Extraction Ratio
- D. Enterohepatic Recycling

Correct Answer: C

QUESTION 4



Drug considered as the drug of choice in a specific asthma emergency treatment include:

- A. Salmeterol
- B. Adrenaline
- C. Albuterol
- D. Cortisone
- E. Zafirlukst

Correct Answer: C

QUESTION 5

Correct statements regarding aminoglycosides may include:

I- Has a half-life of 12hours II- The effect continue remain after all drug is eliminated III- The relation plasma concentration and half-life is not clear

- A. I only
- B. III only
- C. I and II only
- D. II and III only
- E. All are correct

Correct Answer: D

[Latest FPGEE Dumps](#)

[FPGEE VCE Dumps](#)

[FPGEE Study Guide](#)