



FPGEE^{Q&As}

Foreign Pharmacy Graduate Equivalency Examination

Pass NABP FPGEE Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/fpgee.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by NABP
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Both isoxazole and oxazole rings are found as substituents in some bacteriostatic sulfanilamides. They are present in these structures specifically because of their:

- A. Sizes and shapes
- B. Tautomeric activities
- C. Enzymatic activities
- D. Electron-donating effects
- E. Electron-withdrawing effects

Correct Answer: E

QUESTION 2

Route of excretion of cinoxacin is:

- A. Unknown
- B. Kidneys
- C. Intestines
- D. Liver

Correct Answer: B

QUESTION 3

Acarbose smooths and lowers:

- A. postprandial blood glucose levels by blocking absorption of carbohydrates.
- B. postprandial blood glucose levels by delaying absorption of carbohydrates.
- C. preprandial blood glucose levels by blocking absorption of carbohydrates.
- D. preprandial blood glucose levels by delaying absorption of carbohydrates.
- E. preprandial and postprandial blood glucose levels by blocking absorption of carbohydrates.

Correct Answer: B

QUESTION 4



Bacterial resistance to an antibiotic may occur due to:

I- Mutation II- Adaptation III- Gene transfer

A. I only

B. III only

C. I and II only

D. II and III only

E. All are correct

Correct Answer: E

QUESTION 5

The anatomical divisions of the small intestine include the:

I jejunum II ileum III duodenum

A. I only

B. III only

C. I and II only

D. II and III only

E. I, II and III

Correct Answer: E

[FPGEE PDF Dumps](#)

[FPGEE Study Guide](#)

[FPGEE Braindumps](#)