



GSSP-JAVA^{Q&As}

GIAC Secure Software Programmer – Java

Pass GIAC GSSP-JAVA Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/gssp-java.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by GIAC
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Which of the following exceptions will be thrown by the `getFeature()` method if the feature value cannot be assigned or retrieved?

- A. `IllegalArgumentException`
- B. `SAXNotSupportedException`
- C. `NullPointerException`
- D. `SAXNotRecognizedException`

Correct Answer: D

QUESTION 2

In which of the following cases is the GET method used to retrieve information? Each correct answer represents a complete solution. Choose all that apply.

- A. Using a hyperlink inside a Web page.
- B. Using a form with no method definition.
- C. Adding the request parameter to the URL.
- D. Requesting to retrieve a large amount of data.

Correct Answer: ABC

QUESTION 3

You work as a Software Developer for NewTech Inc. You write a bean class using Enterprise

JavaBeans 3.0. The class uses the `@DeclareRoles` ("ADMIN, HR, DBA, USER") annotation to declare the security roles. The class contains a method named `showResult()`. You want to ensure that the ADMIN role is granted privilege to the `showResult()` method. Moreover, if a role that is not allowed to access the method tries to call the method, an error message must be shown. Assuming that there is no security-related element in the deployment descriptor, which of the following will you use to accomplish the task? Each correct answer represents a part of the solution. Choose two.

- A. The `isCallerInRole()` method
- B. The `getCallerPrincipal()` method
- C. The `@RolesAllowed("ADMIN")` annotation
- D. The `@PermitAll` annotation

Correct Answer: AC



QUESTION 4

Which of the following tags is used to include resources from within the same servlet container?

- A.
- B.
- C.
- D.

Correct Answer: B

QUESTION 5

Which of the following modifiers is not an access modifier?

- A. protected
- B. abstract
- C. public
- D. private

Correct Answer: B

[Latest GSSP-JAVA Dumps](#)

[GSSP-JAVA Study Guide](#)

[GSSP-JAVA Exam
Questions](#)