



# H11-828<sup>Q&As</sup>

HCNP-UC(Fast Track)(Unified Communication (Fast Track))

## Pass Huawei H11-828 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/h11-828.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

To prevent toll fraud caused by outgoing call forwarding through trunks or VUs, we can configure the following toll fraud prevention policies: (). (Multiple Choice)

- A. Prefix call attribute configuration
- B. Trunk-based call restriction
- C. Restriction on the automatic switchboard number length
- D. User rights configuration

Correct Answer: ABC

---

**QUESTION 2**

Two U1981s are deployed in active/standby mode. By default, when the heartbeat connection between the active and standby devices has been lost for () minute(s) due to the active device fault, the active device is deactivated and the standby device becomes activated.

- A. 3
- B. 5
- C. 1
- D. 2

Correct Answer: D

---

**QUESTION 3**

In the local regeneration scenario, assume that user A is a SIP user in branch site 1 and user B is a PSTN user outside branch site 1. User A calls user B through the gateway in branch site 1. In the case that local regeneration occurs in branch site 1, RTP streams go through the following path after user A calls user B and the call between user A and user B is set up: ().

- A. User A branch site 1
- B. User A central site branch site 1
- C. User A->branch site 1->central site->branch site 1
- D. None of the above

Correct Answer: A

---

**QUESTION 4**



About adding UC accounts on the BMU, which of the following statements are CORRECT? (Multiple Choice)

- A. Before adding UC accounts on the BMU, you must create a number allocation policy.
- B. A number allocation policy defines the unified gateway to be used, authentication mode, and number rights.
- C. UC accounts that have been added on the BMU can be used for a login to the BMU for selfservices.
- D. If the BMU is integrated with the AD, the numbers added on the BMU will be synchronized to the AD.

Correct Answer: BC

---

#### QUESTION 5

About the values of SynDataState (synchronization status between the primary and standby nodes), which of the following statements are CORRECT? (Multiple Choice)

- A. IDLE indicates that the data is synchronized.
- B. First indicates the first full backup.
- C. Routine indicates the idle state and that no data synchronization is performed.
- D. Unknown indicates that the primary node is not connected to the standby node.

Correct Answer: BD

[H11-828 PDF Dumps](#)

[H11-828 VCE Dumps](#)

[H11-828 Exam Questions](#)