



H11-828^{Q&As}

HCNP-UC(Fast Track)(Unified Communication (Fast Track))

Pass Huawei H11-828 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/h11-828.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

The console system must consist of (). (Multiple Choice)

- A. Console server
- B. SoftConsole
- C. U1900 unified gateway
- D. BMU

Correct Answer: ABC

QUESTION 2

In a multi-node centralized network, there is a central node with a U1981 deployed and a branch node with a U1911 deployed. When POTS user A under U1911 calls an external PSTN user through the branch node's EI trunk, the path along which the call's SIP signaling is transmitted is:

- A. U1911->U1981->U1911
- B. U1981->U1911
- C. U1911->U1981
- D. U1981

Correct Answer: A

QUESTION 3

You can configure IP phone linkage by creating a UC number and binding the UC number to an existing SIP number. The prerequisite for implementing this function is that ().

- A. The IsJoint parameter must be set to Yes during the SIP number creation.
- B. The SIP number must be password-based authenticated.
- C. A number allocation policy for IP phone linkage needs to be created at first.

Correct Answer: A

QUESTION 4

A company deploys a U1981 unified gateway, BMU, and CDRServer. The administrator wants to query CDRs within a time segment. Which of the following methods can the administrator use? (Multiple Choice)

- A. Run commands to query CDRs on the U1981.



- B. Query CDRs on the CDRServer management page of the CDRServer.
- C. Query CDRs on the BMU.
- D. Open the CDR file under D:(root directory)\BILL\CurFile on the CDRServer.

Correct Answer: BC

QUESTION 5

When configuring UC account with voice features, which of the following statements are CORRECT? (Multiple Choice)

- A. A SIP user with the device type being UC needs to be created on the IP PBX.
- B. A SIP user (with the device type either being UC or common) needs to be created on the IP PBX.
- C. A UC account bound to a SIP user needs to be created on the BMU.
- D. A UC account not bound to a SIP number can be created on the BMU.

Correct Answer: AC

[H11-828 VCE Dumps](#)

[H11-828 Study Guide](#)

[H11-828 Exam Questions](#)