

H11-828^{Q&As}

HCNP-UC(Fast Track)(Unified Communication (Fast Track))

Pass Huawei H11-828 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/h11-828.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Huawei Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

- 😳 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

About a multi-node centralized network, which of the following statements are CORRECT? (Multiple Choice)

A. All users have their services configured and controlled in a unified manner on the central node.

B. In normal conditions, the local node does not accept registration requests from SIP users.

- C. POTS users on the local node register with the central node directly.
- D. On the central node, you can view the license information about the local node.

Correct Answer: AB

QUESTION 2

In a multi-node centralized network and not supports two unified gateways working in active/standby mode, () SIP server(s) need(s) to be configured for SIP users on the local node.

- B. 2
- C. 3
- D. 4

Correct Answer: B

QUESTION 3

When eSpace clients connect to an enterprise\\'s internal network over the Internet, which of the following services requires an SBC?

- A. Instant messaging
- B. File transfer
- C. Voice call
- Correct Answer: C

QUESTION 4

In an external network access scenario, an SBC and an enterprise firewall are deployed in parallel. Which of the following statements are CORRECT as regard to the external eSpace Desktop authentication and registration processes? (Multiple Choice)

A. The eSpace Desktop initiates an authentication request to the eServer through the firewall.

B. The eSpace Desktop initiates an authentication request to the eServer through the SBC.



- C. The eServer sends the intranet IP address of the SIP server to the eSpace Desktop.
- D. The eSpace Desktop initiates a voice registration request to the extranet IP address of the SBC.

Correct Answer: AD

QUESTION 5

In a multi-node centralized call management network, if an AR router is configured as the local node, the configuration on the AR does not include ().

- A. Configure basic data such as service mode and interface IP address.
- B. Configure the prefix.
- C. Configure local regeneration.
- D. Configure SIP users on the local node.

Correct Answer: D

H11-828 Study Guide

H11-828 Exam Questions

H11-828 Braindumps