



H12-224^{Q&As}

HCIP-Routing & Switching (Fast Track) V2.0

Pass Huawei H12-224 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/h12-224.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

You cannot set an aging time for the blacklist of the Eudemon.

- A. True
- B. False

Correct Answer: B

QUESTION 2


Which of the following statements about LACP are true? (Choose two.)

- A. It complies with IEEE 802.3az.
- B. A device enabled with LACP exchanges Link Aggregation Control Protocol Data Units (LACPDUs) with its peer.
- C. Devices at both ends determine the active interface according to the interface priority of the active device.

Correct Answer: BC

QUESTION 3

Which of the following statements about the mVRRP backup group are true? (Choose three.)



- A. An mVRRP backup group can be bound to other service VRRP backup groups.
- B. An mVRRP backup group cannot be bound to multiple service VRRP backup groups but can function as a service VRRP group to be bound to another mVRRP group.



C. After a VRRP backup group member is bound to an mVRRP backup group, the state machine of the VRRP backup group member becomes dependent. That is, the VRRP backup group member deletes the protocol timer, and no longer sends or receives packets, and implements its state machine by directly copying the status of the mVRRP backup group.

D. A VRRP backup group member can be bound to only one mVRRP backup group.

Correct Answer: ACD

QUESTION 4

When the GVRP registration mode is FIXED, which statement is true?

A. VLANs can be manually created and registered on the interface, and can also be dynamically registered and deregistered on the interface.

B. VLANs cannot be manually created and registered on the interface, but can be dynamically registered and deregistered on the interface.

C. VLANs can be manually created and registered on the interface, but cannot be dynamically registered or deregistered on the interface.

D. VLANs cannot be manually created and registered on the interface, and cannot be dynamically registered or deregistered on the interface.

Correct Answer: C

QUESTION 5

Which of the following statements about a neighbor state machine is true?

A. The Attempt state appears only on an NBMA network or a broadcast network.

B. The Attempt state appears only on an NBMA network or a P2MP network.

C. LSR packets can be sent in the Exchange state.

D. The Full state indicates that LSDB synchronization is complete. No LSDB information will be exchanged.

Correct Answer: C

[Latest H12-224 Dumps](#)

[H12-224 Practice Test](#)

[H12-224 Exam Questions](#)