

H12-224^{Q&As}

HCIP-Routing & Switching (Fast Track) V2.0

Pass Huawei H12-224 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.pass4itsure.com/h12-224.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Huawei
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.pass4itsure.com/h12-224.html

2024 Latest pass4itsure H12-224 PDF and VCE dumps Download

QUESTION 1

Which of the following statements about the refreshing mechanism in the case of link switchover in a Smart Link group is false?

- A. MAC and ARP entries are refreshed automatically against traffic.
- B. The Smart Link group uses a new link to send Flush packets.
- C. When the active link recovers from a fault, Flush packets are sent to refresh entries.
- D. When recovering from a fault, the active link remains blocked and traffic is not switched back to it. In this way, traffic keeps stable.

Correct Answer: C

QUESTION 2

What is the maximum number of bits that can be used for subnetting, when the network address is a Class C address?

A. 6

B. 8

C. 12

D. 14

Correct Answer: A

QUESTION 3

In traffic policing using two token buckets, tokens are put into the CBS bucket at the committed information rate (CIR).

https://www.pass4itsure.com/h12-224.html

2024 Latest pass4itsure H12-224 PDF and VCE dumps Download

[RTB] display ospf error

OSPF Process 1 with Router ID 2.2.2.2

OSPF error statistics:

General packet errors:

0 : IP: received my own packet 0 : Bad packet 0 : Bad checksum

7 : Bad area id 0 : Drop on unnumbered interface

0 : Bad virtual link 0 : Bad authentication type

0 : Bad authentication key 0 : Packet too small 0 : Packet size>ip length 0 : Transmit error 0 : Interface down 0 : Unknown neighbor

HELLO packet errors:

0 : Netmask mismatch 0 : Hello timer mismatch 0 : Dead timer mismatch 0 : Extern option mismatch 9 : Router id confusion 0 : Virtual neighbor unknown

0 : NBMA neighbor unknown

DD packet errors:

0 : Neighbor state low 0 : Router id confusion 0 : Extern option mismatch 0 : Unknown LSA type

0 : MTU option mismatch

LS ACK packet errors:

0 : Neighbor state low 0 : Bad ack

0 : Duplicate ack 0 : Unknown LSA type

LS REQ packet errors:

0 : Neighbor state low 0 : Empty request

0 : Bad request

LS UPD packet errors:

0 : Neighbor state low 0 : Newer self-generate LSA 0 : LSA checksum bad 0 : Received less recent LSA

0 : Unknown LSA type

Opaque errors:

0 : 9-out of flooding scope 0 : 10-out of flooding scope

0 : 11-out of flooding scope

Retransmission for packet over Limitation errors:

0 : Number for DD Packet 0 : Number for Update Packet

0 : Number for Request Packet

Receive Grace LSA errors:

0 : Number of invalid LSAs 0 : Number of policy failed LSAs

0 : Number of wrong period LSAs

Configuration errors:

0 : Tunnel cost mistake

0 : The network type of the neighboring interface is not consistent

The peak burst size (PBS) bucket is filled in only after the CBS bucket is full.



https://www.pass4itsure.com/h12-224.html

2024 Latest pass4itsure H12-224 PDF and VCE dumps Download

A. True			
B. False			

QUESTION 4

Correct Answer: A

Policy-based routing and routing policy affect the forwarding of data packets in different ways: A routing policy mainly controls packet forwarding. According to the routing policy, packets can be forwarded with no need to use a routing table; policy-based routing mainly controls the importing, advertising, and receiving of routing information so as to affect the forwarding of data packets.

A. True

B. False

Correct Answer: B

QUESTION 5

The vlink-peer command is used to specify a peer IP address for setting up a virtual link.

A. True

B. False

Correct Answer: B

H12-224 PDF Dumps H12-224 Exam Questions H12-224 Braindumps