

# H12-261<sup>Q&As</sup>

HCIE-Routing & Switching (Written) V3.0

## Pass Huawei H12-261 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/h12-261.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Huawei Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

- 😳 365 Days Free Update
- 800,000+ Satisfied Customers





#### **QUESTION 1**

You must configure a router for Policy Based Routing (PBR). PBR allows network administrators to implement routing policies to allow or deny paths on which of the following? (Multiple Choice)

- A. Protocol
- B. Identification of a particular end system
- C. Application
- D. Throughput
- E. Size of packets
- Correct Answer: ABCE

#### **QUESTION 2**

The following is true about the route aggregation method.

- A. Route aggregation can be configured and valid on all routers.
- B. Route aggregation can only be configured on the router to take effect level--1
- C. Route aggregation can only be configured on the router to take effect level--2
- D. Route aggregation can only be configured on the router to take effect level--1-2

Correct Answer: A

#### **QUESTION 3**

By showing the command as shown below, it can be judged that the fault of the delivery machine is the replacement ring.



A. O [CE02]display opu-defend statistics	
Packet Type	Pass(Packet/Byte) Drop(Packet/Byte) Last-dropping-time
arp-reply	24 0 - 1536 0
arp-request	2003 0 2018-05-21 16:56:39 140044 0
CPU Usage CPU Usage Stat CPU utilizatio	cpu-usage t. Cycle: 60 (Second) : 30% Max: 44% t. Time : 2018-05-21 17:19:26 on for five seconds: 18%: one minute: 18%: five minutes: 18% Stat. Time : 2018-05-16 15:56:53.
Allowed max buffer size : : Actual buffer size : : Charnel number : 3 , ( Current messages : 171 MMay 21 2018 16:26:35 MacAddress = 60de-f32	guration and contents : enabled xe : 1024 256 Channel name : trapbuffer

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Correct Answer: D

#### **QUESTION 4**

On an RSTP-enabled switch, if the network topology changes, which of the following statements regarding changes to the Layer 2 forwarding entries learned by the switch is true?

A. All entries, apart from the entries related to edge ports, are deleted.

B. If the aging time is set to 15 seconds, all the aged entries are deleted.

C. All entries, apart from the entries related to edge ports and the entries related to the port that receives the TC BPDU, are deleted.

D. All entries are deleted.

E. Only the entries related to the port that receives the TC BPDU are deleted.

Correct Answer: C



### **QUESTION 5**

Huawei switches SWA and SWB are connected through seven physical Ethernet links and are configured with static link aggregation. On SWA, the interface and are configured in the following sequence: Ethernet 1/0/1, Ethernet 1/0/2, Ethernet 1/0/3, Ethernet 1/0/4, Ethernet 1/0/5, Ethernet 1/0/6, Ethernet 1/0/7. If only six ports are supported in a LAG on SWA and SWB, which of the following statements is true?

A. If the configurations of different ports are consistent, SWA selects one of the seven ports at random to be the Unselected port of the LAG.

B. If the configurations of different ports are consistent, Ethernet 1/0/6 is the Unselected port of the LAG.

C. If the configurations of different ports are consistent, Ethernet 1/0/7 is the Unselected port of the LAG.

D. If the configurations of different ports are consistent, Ethernet 1/0/1 is the Unselected port of the LAG.

Correct Answer: C

Latest H12-261 Dumps

H12-261 Practice Test

H12-261 Exam Questions