



H12-261^{Q&As}

HCIE-Routing & Switching (Written) V3.0

Pass Huawei H12-261 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/h12-261.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which of the following type of SNMP messages sent to the NM5 is reliable?

- A. Get
- B. GetBulk
- C. Trap
- D. Inform
- E. Response

Correct Answer: D

QUESTION 2


Regular expressions can be used in Community-filter and AS-Path-filter to filter routes.

- A. TRUE
- B. FALSE

Correct Answer: A

QUESTION 3

As shown below, the map field, the correct description is A. R1 Level-1 Level-2 LSDB is the same as when





- B. R1 Ping R21 100back0 can pass the interface address
- C. R1 R2 100back0 10.0.2.2/32 There is a route to arrive
- D. R1.R2 can not establish a relationship between neighbors

Correct Answer: C

QUESTION 4

The following rules regarding the attributes of the ISIS LSP protocol report are correct.

- A. LSP, LSP, LSDB fast dispersion characteristics expansion will be less than the specified number of out-of-band expansion
- B. When the LSP is generated and the generated smart controller is generated, the time-varying frequency delay delay timer can be self-deferred according to the routing information rate.
- C. When the road information increases the chain state, SP and LSP can increase the length of the grammar so that each can carry more information.
- D. Reduce the minimum interval for sending LSP LSPs on the interface to speed up the diffusion between time.

Correct Answer: AB

QUESTION 5

The port shaping rate is set to 100 Mbps PIR, and the bandwidth of the service input and configuration of the interface is as follows. Then the first round of rotation, the assigned team What is the bandwidth?

队列类型	队列	带宽	PIR(bps)
CS7	PQ	30M	30M
CS6	PQ	10M	10M
EF	WFQ, 权重5	90M	10M
AF4	WFQ, 权重4	10M	10M
AF3	WFQ, 权重3	10M	15M
AF2	WFQ, 权重2	20M	10M
AF1	WFQ, 权重1	20M	10M
BE	LPQ	100M	未配置

- A. 30M
- B. 15M
- C. 90M
- D. 25M



VCE & PDF

Pass4itSure.com

<https://www.pass4itsure.com/h12-261.html>

2024 Latest pass4itsure H12-261 PDF and VCE dumps Download

Correct Answer: B

[Latest H12-261 Dumps](#)

[H12-261 VCE Dumps](#)

[H12-261 Practice Test](#)