



H12-322^{Q&As}

HCIP-WLAN-POEW V1.0

Pass Huawei H12-322 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/h12-322.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Which of the following options are typical WLAN indoor-mounted coverage scenarios?

- A. University classroom wireless coverage
- B. Office building wireless coverage
- C. University dormitory wireless coverage
- D. Hotel WOC wireless coverage

Correct Answer: AB

QUESTION 2

Which two APs below support the 802.11ac standard?

- A. AP5030DN
- B. AP5130DN
- C. AP6510DN
- D. AP7110DN

Correct Answer: AB

QUESTION 3

As shown in the figure below, a city will install cameras (2 per school) in the entrances of multiple schools (yellow points in the picture). The camera does not support wireless functions, and there is only one network port. There is no switch on site, customers want to pass The WLAN passes the data back to the location of Main C4 in the figure (red standard Note), the two points connecting the red line in the figure are 3km apart. According to the calculation of 2Mbps bandwidth for each camera, there is a line of sight between the school gate and Main C4. Which of the following solutions can meet the above scenarios begging?



- A. Each school deploys 1 AT815SN and 1 AP6510DN (with external antenna)
- B. One AT815SN and one AP8030DN per school
- C. 2 AP8130DN (with external antenna) deployed in each school
- D. 2 AP6610DN (with external antenna) deployed in each school
- E. Two AP6510 (with external antenna) deployed in each school

Correct Answer: AC

QUESTION 4

Which of the following is not part of the capacity requirements analysis and planning in a high- density scenario?

- A. Business type
- B. Concurrency rate
- C. Venue size
- D. AP location

Correct Answer: D



QUESTION 5

When using the WLAN planning tool, which type of area should be used for areas with coverage field strength requirements but no access and bandwidth requirements?

- A. Key coverage areas
- B. Ordinary coverage area
- C. Blind area
- D. AP deployment area

Correct Answer: B

[H12-322 VCE Dumps](#)

[H12-322 Study Guide](#)

[H12-322 Exam Questions](#)