



H12-711^{Q&As}

HCIA-Security V4.0

Pass Huawei H12-711 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/h12-711.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

IP-link which is mainly used in the following scenarios?(Choose two)

- A. Link Aggregation
- B. Static Routing
- C. Hot Standby
- D. Long connection

Correct Answer: BC

QUESTION 2

Source host sends ARP-request, the data package source IP address field of the source host IP address, source MAC address field is the MAC address of the source host, destination IP address field of the destination host IP address, destination MAC address of the destination host is encapsulated MAC address

- A. True
- B. False

Correct Answer: B

QUESTION 3

About NAT's statement is correct

- A. NAT will do within the packet source address
- B. NAT compatible with all current IPSec security protocol
- C. Because the FTP protocol is a multi- channel protocol, it does not support NAT
- D. NAT support for TCP / IP two, three, four conversion

Correct Answer: A

QUESTION 4

Port-mapping function is used to publish certain port internal server to the external network.

- A. True
- B. False

Correct Answer: B



QUESTION 5

When the device at both ends of the tunnel is using IPSec non-template approach, ACL need to completely mirror configuration?

- A. True
- B. False

Correct Answer: A

[Latest H12-711 Dumps](#)

[H12-711 VCE Dumps](#)

[H12-711 Study Guide](#)