

H12-721^{Q&As}

HCIP-Security-CISN V3.0

Pass Huawei H12-721 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/h12-721.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Huawei Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

- 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

When an attack occurs, the attacked host (1.1.128.4) was fooled. Host found many packets as shown. Based on an analysis what type of attack is this?

| | <pre>rame 14: 92 bytes on wire (736 bits), 92 bytes captured (736 bits) thernet II, Src: Dell_a9:e9:ef (00:24:e8:a9:e9:ef), Dst: lf:ff:ff:ff:ff:ff:ff:ff:ff:ff:ff:ff:ff:f</pre> |
|---|---|
| | nternet Protocol Version 4, Src: 1.1.129.110 (1.1.129.110), Dst: 1.1.128.4 (1.1.128.4) |
| 8 | ransmission Control Protocol, Src Port: 10078 (10078), Dst Port: http (80), Seq: 0, Len: 30 |
| - | Source port: 10078 (10078) |
| | Destination port: http (80) |
| | [Stream index: 12] |
| | Sequence number: 0 (relative sequence number) |
| | [Next sequence number: 30 (relative sequence number)] |
| | Header length: 28 bytes |
| E | Flags: 0x66 (SYN, RST, URG, ECN) |
| | 000 = Reserved: Not set |
| | 0 = Nonce: Not set |
| | 0 = Congestion window Reduced (CWR): Not set |
| | 1 = ECN-Echo: Set |
| | 1 = Urgent: Set |
| | 0 = Acknowledgement: Not set |
| | 0 = Push: Not set |
| | <pre>m</pre> |
| | |
| | Window size value: 65535 |
| | [Calculated window size: 65535] |
| | Checksum: 0xe330 [correct] |
| | Urgent pointer: 10 |
| | Options: (8 bytes) |

- A. Smurf attack
- B. Land Attack
- C. WinNuke
- D. TCP packet flag attack

Correct Answer: D

QUESTION 2

The USG series product dual-system hot backup does not involve the _____ protocol.

- A. HRP
- **B. VRRP**
- C. VGMP
- D. IGMP

Correct Answer: D



QUESTION 3

At headquarters - when configuring branching structure IPsec VPN network (pre-shared key + wells NAT traversal case), IKE Peer needs to be referenced to the ipsec policy templates. Which of the following must be configured with the template? (choose two answers)

- A. ipsec proposal
- B. exchange-mode aggressive
- C. pre-shared-key
- D. remote-address

Correct Answer: AC

QUESTION 4

When there is a lot BFD sessions in a system, in order to prevent periodic OFD control packets from affecting the normal operation of the system, you can use what mode of BFD?

- A. Synchronous Mode
- B. Detection Mode
- C. Asynchronous Mode
- D. Query Mode
- Correct Answer: D

QUESTION 5

After the configuration on NRT Server (no-reverse parameter is not added), the firewall will automatically generate static Server-map entries, the first packet matching Server-map entries, but it does not match the session table.

A. TRUE

B. FALSE

Correct Answer: A

Latest H12-721 Dumps

H12-721 PDF Dumps

H12-721 Practice Test