



H12-721^{Q&As}

HCIP-Security-CISN V3.0

Pass Huawei H12-721 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/h12-721.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

In USG equipment, which statement is correct on current-configuration files and saved- configuration profile? (Choose two answers)

- A. ELI administrators to configure a feature USG device, the device will modify Saved- configuration immediately.
- B. See the next startup configuration file to load the device display saved-configuration.
- C. When executing the Save command, the device will be current-configuration is copied to the saved-configuration.
- D. When executing the Save command, current-configuration commands to take effect.

Correct Answer: BC

QUESTION 2

An administrator using the following command to view the state of device components Slot3 board is status abnormal, what are the possible causes? (Choose three answers)

`<sysname> display device`

Slot #	Type	Online	Status
--------	------	--------	--------

0	RPU	Present	Normal
3	ADSL2+	Present	Abnormal
4	PWR	Present	Normal
5	FAN	Present	Normal

- A. The device does not support this interface cards.
- B. The Interface Card is damaged.
- C. The backplane or damaged pins on the motherboard, such as incorrect installation lead pin board tilt.
- D. The ADSL phone line is faulty.

Correct Answer: ABC

QUESTION 3

With regard to the firewall configuration interface binding VPN instance, which configuration is correct?

- A. ip binding vpn-instance vpn-id
- B. ip binding vpn-instance vpn-instance-name
- C. ip binding vpn-id



D. ip binding vpn-id vpn-instance-name

Correct Answer: B

QUESTION 4

Limiting policies can limit which of the following objects? (Choose two answers)

- A. IP connection limit
- B. IP bandwidth limit
- C. PZP protocol data flow restrictions
- D. IM protocol data flow restrictions

Correct Answer: AB

QUESTION 5

The picture below shows that the IKE V1 first stage pre-shared key mode. Which of the following statement is correct?

```
⊕ Frame 7 (190 bytes on wire, 190 bytes captured)
⊕ Ethernet II, Src: 00:e0:fc:d8:df:2a, Dst: 00:18:82:1f:2e:09
⊕ Internet Protocol, Src Addr: 1.1.1.1 (1.1.1.1), Dst Addr: 1.1.1.2 (1.1.1.2)
⊕ User Datagram Protocol, Src Port: isakmp (500), Dst Port: isakmp (500)
⊕ Internet Security Association and Key Management Protocol
  Initiator cookie: 0xECAD6A3E49FF6033
  Responder cookie: 0x50A35F7ED4AEA18D
  Next payload: Key Exchange (4)
  Version: 1.0
  Exchange type: Identity Protection (Main Mode) (2)
⊕ Flags
  Message ID: 0x00000000
  Length: 148
⊕ Key Exchange payload
  Next payload: Nonce (10)
  Length: 100
  Key Exchange Data
⊕ Nonce payload
  Next payload: NONE (0)
  Length: 20
  Nonce Data
```

- A. D-H exchange public values and various auxiliary data
- B. SA recommended strategy
- C. Authentication
- D. encryption transformation strategy

Correct Answer: A
