



# H12-811<sup>Q&As</sup>

HCIA-Datacom V1.0

## Pass Huawei H12-811 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/h12-811.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

The output information of the sub-interface of a certain router's aggregation port 1 is shown in the figure. Based on this information, which of the following statements is correct? ( )

[Router A] display Interface Eth-Trunk 1.100Eth-Trunk1.100 current state UP Line protocol current state UP Last line protocol up time 2019-03-04 10:22:40 UTC.-08:00 Description:

HUAWEI, ARSeries, Eth-Trunk1.100 Interface Route Port, Hash arithmetic.:According to SIP-XOR-DIP, Maximal BW:2G.Current BW:2G, The Maximum Transmit Unit is 1500 Internet Address is 10.0.12.2/24 IP Sending Frames\\Format is

PKTFIT ETENT 2, Hardwareaddress 1s 00e0-fc3b-2015 Current system time:2019-03-04 10:24:29-08:00 Last 300 seconds input rate0 bits/sec.0 packets/sec Last 300 seconds output rate 0 bits /seC.0 packets/sec Realtime 0 seconds

inputrate 0 bits/seC.0 packets/sec Realtime 0 seconds output rate 0 bits/seC.0 packets/sec Input: 6 packets, 574 bytes,

Output: 7 packets, 638 bytes, Input bandwidth utilization 0% Output bandwidth utilization 0%

PortName Status Weight

GigabitEthernet0/0/1 UP 1 GigabitEthernet0/0/2 UP 1

The Number of Ports in Trunk:2 The Number of UP Ports in Trunk:2\*

- A. Two links exist on the aggregated port
- B. The IP address of the sub-interface of the aggregate port is 10.0.12.2/24
- C. The sub-interface number of the aggregate port is 100
- D. The sub-interface of the aggregate port carries VLAN TAG100 when forwarding data frames

Correct Answer: ABC

### QUESTION 2

As shown in the figure below, what kind of network equipment can host A and host B use to communicate? ( ) (Single-choice question)





- A. Hub
- B. router
- C. HUB

Correct Answer: C

---

### QUESTION 3

Which of the following protocols is not a file transfer protocol?

- A. FTP
- B. TFTP
- C. SFTP
- D. HTTP packet

Correct Answer: D

---

### QUESTION 4

Which of the following authentication methods does not require the user name and password? ()

- A. authentication-mode none
- B. authorization-mode hwtacacs
- C. Authentication-mode hwtacacs

Correct Answer: B

---

### QUESTION 5

As shown in the figure, a static NAT command is deployed on router R1. When the PC accesses the Internet, the destination address in the data packet will not change. ()(True or False)



A. True

B. False

Correct Answer: B

[H12-811 VCE Dumps](#)

[H12-811 Practice Test](#)

[H12-811 Braindumps](#)