



H12-821^{Q&As}

HCIP-Datacom-Core Technology V1.0

Pass Huawei H12-821 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/h12-821.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Which of the following statements regarding DR/BDR are false?

- A. In a broadcast network, DR and BDR must be elected. A broadcast network without a DR or BDR cannot operate normally.
- B. DR others listen on the multicast address 224.0.0.5.
- C. All DR others establish neighbor relationships with DR and BDR only.
- D. DR others listen on the network address 224.0.0.6.

Correct Answer: C

QUESTION 2

Which of the following statements regarding the BGP error display of a router false?


```
<HUAWEI>display bgp error
Error Type      : Peer Error
Date/Time      :2010-03-22 12:40:39
Peer Address   : 10.1.1.5
Error Info     : Incorrect remote AS
```

- A. The error may be caused by the incorrect neighbor address.
- B. The neighbor address of this router is 10.1.1.5.
- C. Error Type indicates that the BGP error is caused by the neighbor relationship error.
- D. The error occurred at 12:40:39 on March 22, 2010.

Correct Answer: C

QUESTION 3

Four routers run ISIS and have established adjacencies. The area IDs and router levels are marked in the following figure. If route leaking is configured on R3, which of the following is the cost of the route from R4 to 10.0.2.2/32?



- A. 80
- B. 50
- C. 40
- D. 30

Correct Answer: B

QUESTION 4

Which of the following statements about the forwarding plane of a switch is false?

- A. Provides high-speed and non-blocking data channels.
- B. Can encapsulate and decapsulate packets.
- C. Can collect packet statistics.
- D. Consists of main control boards and interface boards.

Correct Answer: C

QUESTION 5

BFD control packets are encapsulated in UDP packets for transmission. What is the destination port number of multi-hop BFD control packets?

- A. 4784
- B. 3784
- C. 5784
- D. 2784



Correct Answer: A

[H12-821 VCE Dumps](#)

[H12-821 Study Guide](#)

[H12-821 Braindumps](#)