



H12-831^{Q&As}

HCIP-Datacom-Advanced Routing & Switching Technology V1.0

Pass Huawei H12-831 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/h12-831.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

The security protection actions that a secure MAC address can perform does not include which of the following?

- A. Protect
- B. Restrict
- C. Shutdown
- D. Remark

Correct Answer: D

QUESTION 2

In intra-domain MPLS VPN networks, data packets will be encapsulated with two layers of MPLS when they enter the public network and are forwarded. Label, a description of the two-layer label in the following options. What is wrong is:

- A. MPLS VPNThe outer label is made byLDPprotocol or statically assignedD. the inner label is assigned by the correct end MP-BGPassigned by neighbors
- B. By default, the outer label is popped before the packet is forwarded to the last hop device
- C. M PLS VPNThe outer layer is labeled as a private network label, and the inner layer label is called a public network label.
- D. Layer labels are used inPEThe device sends the packet correctly to the correspondingVPNmiddle

Correct Answer: CD

QUESTION 3

Regarding the label space of MPLS, the description is wrong:

- A. penultimate jumpLSRWhen performing label exchange, if the exchanged label value is found to be3,By default, the label is popped and the message is sent to the last hop
- B. 1024Above areLDP,RSVP-TE. MP-BGPLabel space shared by other dynamic signaling protocols
- C. 16~1023is staticLSPand staticCR-LSPshared tab space
- D. If the out tag value is0,The router will directly discard the packet

Correct Answer: D



QUESTION 4

In the DU label distribution mode, if the Liberal retention mode is adopted, the device will retain the labels distributed by all LDP peers, regardless of whether the LDP peer is the optimal next hop to the destination network segment.

- A. True
- B. False

Correct Answer: A

QUESTION 5

What check items can be set by IPSG?

- A. MA, Caddress
- B. Outgoing interface
- C. VLANID
- D. IPaddress

Correct Answer: ABCD

[Latest H12-831 Dumps](#)

[H12-831 Practice Test](#)

[H12-831 Study Guide](#)