



# H13-624<sup>Q&As</sup>

HCIP-Storage V5.0

## Pass Huawei H13-624 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/h13-624.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

InfoReplicator supports splitting the Pair, that is, temporarily suspending the data between the master and slave directories Synchronize. If the user wants to restore the data synchronization of the Pair and re- maintain the same data in the master and slave directories, they only need to create a new one manually.

- A. True
- B. False

Correct Answer: A

---

**QUESTION 2**

Among the following configuration strategies, which configuration can improve the security of the storage system ()

- A. Configure an accessible IP address
- B. Configure account policy
- C. Configure user account audit
- D. Configure login policy

Correct Answer: ABCD

---

**QUESTION 3**

In the Huawei backup solution, Server-Free backup networking involves snapshot technology, which component initiates the snapshot creation Build order.

- A. Media server
- B. Backup proxy client
- C. Production storage
- D. Backup media

Correct Answer: B

---

**QUESTION 4**

Which of the following features cannot improve the performance of Huawei's hybrid flash storage products?



- A. SmartPartition
- B. SmartCache
- C. SmartVirtualization
- D. SmartTier

Correct Answer: C

---

#### QUESTION 5

Which of the following descriptions of the C72 node management interface is correct: (multiple choice)

- A. OceanStor 9000 cluster only has C72 nodes, and the number of C72 nodes is greater than or equal to 3. The A control module of the first 3 nodes NICo provides management interface
- B. When the C72 node and the non-C72 node are deployed in a mixed manner, the C72 node can be selected to provide an independent management network port.
- C. When C72 nodes and non-C72 nodes are mixed deployment and object storage services are applied, the object storage management node must be deployed to provide independent Establish the management network port on the node.
- D. When deploying a storage cluster, you need to configure a separate IP address for the NICO interface on the c72 node interface board in the cluster

Correct Answer: ABCD

[Latest H13-624 Dumps](#)

[H13-624 PDF Dumps](#)

[H13-624 Exam Questions](#)